

SAFETY DATA SHEET

Creation Date 11-Jun-2009 Revision Date 15-Mar-2018 Revision Number 1

1. Identification

Product Name Ethanolamine

Cat No. : A11697

CAS-No 141-43-5

Synonyms 2-Aminoethanol, monoethanolamine

Recommended UseLaboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Category 4
Acute oral toxicity
Category 4
Acute dermal toxicity
Category 4
Acute Inhalation Toxicity - Vapors
Category 4
Skin Corrosion/irritation
Category 1
Serious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Combustible liquid
Harmful if swallowed
Harmful in contact with skin

Causes severe skin burns and eye damage

May cause respiratory irritation Harmful if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Fves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Ethanolamine	141-43-5	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. Call a physician immediately.

Revision Date 15-Mar-2018 **Ethanolamine**

Inhalation Do not use mouth-to-mouth method if victim indested or inhaled the substance; give

> artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie down. Call a physician

immediately. If not breathing, give artificial respiration.

Do not induce vomiting. Never give anything by mouth to an unconscious person. Clean Ingestion

mouth with water. Call a physician immediately.

Most important symptoms and

effects

Breathing difficulties. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

CO₂, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire Suitable Extinguishing Media

with water spray.

Unsuitable Extinguishing Media No information available

92 °C / 197.6 °F **Flash Point**

Method -No information available

450 °C / 842 °F **Autoignition Temperature**

Explosion Limits

Upper 23.5% @ 140°C 3.0% @140°C Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂) Nitrogen oxides (NOx) Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	1	N/A

Accidental release measures

Use personal protective equipment. Evacuate personnel to safe areas. Keep people away **Personal Precautions**

from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition.

Take precautionary measures against static discharges.

Should not be released into the environment. Do not flush into surface water or sanitary **Environmental Precautions**

sewer system. See Section 12 for additional ecological information. Avoid release to the

environment. Collect spillage.

Up

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment. Do not get in

eyes, on skin, or on clothing. Do not ingest. Do not breathe vapors or spray mist. Keep

away from open flames, hot surfaces and sources of ignition.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Keep away from heat and sources of ignition. Store under an inert atmosphere.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethanolamine	TWA: 3 ppm	(Vacated) TWA: 3 ppm	IDLH: 30 ppm	TWA: 3 ppm
	STEL: 6 ppm	(Vacated) TWA: 8 mg/m ³	TWA: 3 ppm	TWA: 8 mg/m ³
		(Vacated) STEL: 6 ppm	TWA: 8 mg/m ³	STEL: 6 ppm
		(Vacated) STEL: 15 mg/m ³	STEL: 6 ppm	STEL: 15 mg/m ³
		TWA: 3 ppm	STEL: 15 mg/m ³	_
		TWA: 6 mg/m ³		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined

areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tightly fitting safety goggles. Face-shield.

Skin and body protectionWear impervious gloves and/or clothing if needed to prevent contact with the material.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorFishy

Odor Threshold

pH

No information available

12 @ 20°C 20 g/l aq. sol

Melting Point/Range 10 °C / 50 °F

Boiling Point/Range 170 °C / 338 °F @ 760 mmHg

Flash Point 92 °C / 197.6 °F Evaporation Rate 92 °C / 197.6 °F > 1 (Butyl Acetate = 1.0)

Flammability (solid,gas) Not applicable

Flammability or explosive limits
Upper 23.5% @ 140°C

Lower 23.5% @ 140 C

 Vapor Pressure
 0.48 mmHg @ 20°C

 Vapor Density
 2.1 (Air = 1.0)

 Specific Gravity
 1.012

Solubility inscible
Partition coefficient; n-octanol/water No data available

Autoignition Temperature450 °C / 842 °FDecomposition TemperatureNo information available

Viscosity24 cP at 20 °CMolecular FormulaC2 H7 N OMolecular Weight61.08

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic. Air sensitive.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to air. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), Thermal

decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component LD50 Oral LD50 Dermal

Component	LD50 Oral	LD50 Dermai	LC50 Inhalation
Ethanolamine	1720 mg/kg (Rat)	1000 mg/kg(Rabbit) 1 mL/kg(Rabbit)	Not listed

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component	CAS-No	IARC	NTP ACGIH		OSHA	Mexico	
I	Ethanolamine	141-43-5	Not listed					

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Revision Date 15-Mar-2018 **Ethanolamine**

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethanolamine	EC50: 15 mg/L/72h	Leusiscus idus: LC50: >200	Pseudomonas putida: EC50:	EC50: 65 mg/L/48h
		mg/L/48h	110 mg/L/17 h	
		Salmo gairdneri: LC50: 150	Nitrosomonas: EC50: 12200	
		mg/L/96h	mg/L/2 h	
			Photobacterium	
			phosphoreum: EC50: 13.7	
			mg/L/30 min	

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available. Miscible with water

Bioaccumulation/ Accumulation

No information available.

. Will likely be mobile in the environment due to its water solubility. **Mobility**

Component	log Pow		
Ethanolamine	-1.91		

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2491

ETHANOLAMINE Proper Shipping Name

Hazard Class Packing Group Ш

TDG

UN2491 **UN-No**

Proper Shipping Name ETHANOLAMINE

Hazard Class Packing Group Ш

UN2491 **UN-No**

Proper Shipping Name ETHANOLAMINE

Hazard Class Packing Group Ш

IMDG/IMO

UN-No UN2491

Proper Shipping Name ETHANOLAMINE

Hazard Class

Packing Group III

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ethanolamine	Χ	Χ	-	205-483-3	-		Χ	Χ	Χ	Χ	Х

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Ethanolamine	X	X	X	X	Х	

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 11-Jun-2009

 Revision Date
 15-Mar-2018

 Print Date
 15-Mar-2018

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 141-43-5.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS