Revision date	9 12/27/2016
1 Identification	
Product identifier	
Product name: <u>1-Butylamine</u>	
Stock number: 42778 CAS Number: 109-73-9	
EC number:	
203-699-2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals. Inc.	
30 Bond Street	
Ŵard Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS06 Skull and crossbones	
Acute Tox. 3 H311 Toxic in contact with skin. Acute Tox. 2 H330 Fatal if inhaled.	
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS02 GHS05 GHS06	
Signal word Danger	
Hazard statements H225 Highly flammable liquid and vapor. H302 Harmful if swallowed.	
H311 Toxic in contact with skin.	
H330 Fatal if inhaled. H314 Causes severe skin burns and eye damage.	
Precautionary statements	
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P284 Wear respiratory protection	
P284 Wear respiratory protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P300 + P30 +	
P320 Specific treatment is urgent (see on this label). P361 Remove/Take off immediately all contaminated clothing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification B2 - Flammable liquid	
D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects E - Corrosive material	
(Con:	td. on page 2)
	054

Product name: 1-Butylamine

Classification system

(Hazardous Materials Identification System)

ALTH B Health (acute effects) = 3 Flammability = 3 ACTIVITY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 109-73-9 1-Butylamine Concentration: ≤100% Identification number(s): EC number: 203-699-2

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed. Toxic in contact with skin. Fatal if inhaled. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures

Extinguishing media Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Provide a dequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Protect against electrostatic charges. Europe on combine with oir to form an oxplosive mixture. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from air. Do not store together with acids. Store away from oxidizing agents.

Printing date 12/28/2016 Revision date 12/27/2016

(Contd. of page 1)

Page 2/5

(Contd. on page 3)

kinematic:

Other information

Not determined.

No further relevant information available.

Product name: 1-Butylamine

(Contd. of page 2) Further information about storage conditions: Store under dry inert gas. This product is air sensitive Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 109-73-9 1-Butylamine (100.0%) PEL (USA) Ceiling limit value: 15 mg/m³, 5 ppm Skin Ceiling limit value: 15 mg/m³, 5 ppm Skin REL (USA) TLV (USA) Ceiling limit value: 15 mg/m³, 5 ppm Skin EL (Canada) Short-term value: C 5 ppm Skin EV (Canada) Skin Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Vash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use self-contained respiratory protective device in emergency situations. **Recommended filter device for short term use:** Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EL) CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Fluorocarbon rubber (Viton) Glove thickness 0.7 mm Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: . Form: Liquid Odor: Ammonia-like Odor threshold: Not determined. pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -50 °C (-58 °F) 76-78 °C (169-172 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: -14 °C (7 °F) Not determined. 312 °C (594 °F, Not determined Decomposition temperature: Auto igniting: Not determined Danger of explosion: Explosion limits: Product is not explosive. However, formation of explosive air/vapor mixtures is possible. 1.7 Vol % Lower: Upper: 10 Vol % 100 hPa (75 mm Hg) 0.738 g/cm³ (6.159 lbs/gal) Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Bulk density at 20 °C (68 °F): Relative density 1 kg/m³ Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined. 1 g/l Fully miscible Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not determined.

Product name: 1-Butylamine		
	(Contd. of page 3)	
10 Stability and reactivity		
Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not of Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Acids Air Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides	occur if used and stored according to specifications.	
11 Toxicological information		
Information on toxicological effects Acute toxicity: Harmful if swallowed. Fatal if inhaled. Toxic in contact with skin. Danger through skin absorption. Swallowing will lead to a strong corrosive effect on mouth and throat and to the The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute LD/LC50 values that are relevant for classification:	danger of perforation of esophagus and stomach. toxicity data for this substance.	
Oral LD50 366 mg/kg (rat)		
Dermal LD50 627 mg/kg (rabbit) Inhalative I C50/4H 800 mg/m3/4H (mouse)		
Inhalative LC50/4H 800 mg/m3/4H (mouse) Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.		
Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not li	isted.	
· · · ·		
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.		
13 Disposal considerations		
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.	disposal.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN1125	
UN proper shipping name DOT	N-Butylamine	
ĪMDG, IATA	N-BUTYLAMINE	
Transport hazard class(es) DOT Class Label Class	3 Flammable liquids. 3+8 2 (FC) Flammable liquids	
Class Label	3 (FC) Flammable liquids 3+8	
	(Contd. on page 5) USA	

Product name: 1-Butylamine		
	(Contd. of page 4)	
IMDG, IATA		
Class Label	3 Flammable liquids. 3+8	
Packing group DOT, IMDG, IATA	11	
Environmental hazards:	Not applicable.	
Special precautions for user EMS Number:	Warning: Flammable liquids F=E,S-C	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:		
DOT		
Marine Pollutant (DOT): UN "Model Regulation":	No UN1125, n-Butylamine, 3 (8), II	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms W		
GHS02 GHS05 GHS06 Signal word Danger Hazard statements H225 Highly flammable liquid and vapor. H302 Highly flammable liquid and vapor. H302 Highly flammable liquid and vapor. H301 Faster H302 Highly flammable liquid and vapor. H304 Hail in Inhaded H314 Causes severe skin burns and eye damage. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P260 Do not breather dust/tume/gas/mist/vapours/spray. P284 Wear expiratory protection. P303-P361-P333 IF ON SKIN for hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305-P331 IF SWALL OWED immediately all contaminated clothing. P400 Dispose of contents/container is urgent babely. P401 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, m		
 16 Other information Employers should use this information only as a supplement to other information information to ensure proper use and protect the health and safety of employee conformance with this Safety Data Sheet, or in combination with any other process of the preparation / last revision 12/28/2016 / - Department issuing SDS: Global Marketing Department Date of preparation / last revision 12/28/2016 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreemen IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Air Transport Association EINECS: European Jonentory of Existing Commercial Chemical Substances CAS: Chemical Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent UPS: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IATP: National Agency (USA) Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 2 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 2 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A	on gathered by them, and should make independent judgement of suitability of this as. This information is furnished without warranty, and any use of the product not in duct or process, is the responsibility of the user. It concerning the International Carriage of Dangerous Goods by Road) Tube Source So	