

Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

evision date: 06.09.2019	Version: 6.1	Print date: 06.09.2019	
ECTION 1: Identification			
roduct identifier			
Trade name/designation:	Hydrochloric	acid 36,5 - 38%	
Product No.:	BDH3032		
Synonymes:	none/none		
CAS No.:	7647-01-0		
Other means of identification:			
elevant identified uses of the	substance or mixture and u	ses advised against	
Recommended Use:	For Further Ma	nufacturing Use Only	
Uses advised against: Details of the supplier of the sa		or Animal Drug Use	
		or Animal Drug Use	
etails of the supplier of the sa		or Animal Drug Use	
etails of the supplier of the sa	afety data sheet 100 Matsonfc	or Animal Drug Use rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660	
etails of the supplier of the sa upplier VWR International LLC	afety data sheet 100 Matsonfc	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street	afety data sheet 100 Matsonfo Building One, Radnor, PA 19	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city	afety data sheet 100 Matsonfo Building One, Radnor, PA 19	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 200 toll-free within US/Canada	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city	afety data sheet 100 Matsonfo Building One, Radnor, PA 19 +1-800-932-5	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 000 toll-free within US/Canada 700	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city Telephone	afety data sheet 100 Matsonfo Building One, Radnor, PA 19 +1-800-932-5 +1-610-386-1	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 000 toll-free within US/Canada 700	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city Telephone	afety data sheet 100 Matsonfo Building One, Radnor, PA 19 +1-800-932-5 +1-610-386-1	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 000 toll-free within US/Canada 700	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city Telephone	afety data sheet 100 Matsonfo Building One, Radnor, PA 19 +1-800-932-5 +1-610-386-1	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 000 toll-free within US/Canada 700	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city Telephone	afety data sheet 100 Matsonfo Building One, Radnor, PA 19 +1-800-932-5 +1-610-386-1	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 000 toll-free within US/Canada 700	
Details of the supplier of the sa upplier <i>VWR International LLC</i> Street Postal code/city Telephone	afety data sheet 100 Matsonfo Building One, Radnor, PA 19 +1-800-932-5 +1-610-386-1	rd Road Radnor Corporate Center, Suite 200 P. O. Box 6660 087 000 toll-free within US/Canada 700	





Emergency phone number

Telephone

+1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

Preparation Information

VWR International - Product Information Compliance

E-mail

sds@vwr.com

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard classes and hazard categories	Hazard statements
Substance or mixture corrosive to metals, category 1	H290
Skin corrosion, category 1B	H314
Specific target organ toxicity (single exposure), category 3, vascular	H335

2.2 Label elements

Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard pictograms



Signal word: Danger

Hazard statements	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.





Precautionary	
statements	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P234	Keep only in original container.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container to

Hazards not otherwise classified (HNOC)

none/none

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients Classification according to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Substance name	Concentration	Identifier	Hazard classes and hazard categories
Hydrochloric acid	36 - 38%	CAS No.: 7647-01-0	Skin Corr. 1B - H314 STOT SE 3 - H335

SECTION 4: First aid measures

4.1 General information

IF exposed: Immediately call a POISON CENTER/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

In case of inhalation

Immediately call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.





After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

4.2 Most important symptoms/effects, acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

4.5 Information to physician

no data available

SECTION 5: Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

no restriction

5.2 Specific hazards arising from the chemical

In case of fire may be liberated: Hydrogen chloride (HCl)

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Protective equipment and precautions for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety. Wear a self-contained breathing apparatus and chemical protective clothing.





6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Clean contaminated articles and floor according to the environmental legislation. Soak up inert absorbent and dispose as waste requiring special attention.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid:

Inhalation

Avoid contact with eyes and skin.

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Protect from moisture.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: 15-25 °C

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection

Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.





By short-term hand contact	
Suitable material:	CR (polychloroprene, chloroprene rubber)
Thickness of the glove material:	0,13 mm
Breakthrough time (maximum wearing time):	101 min
By long-term hand contact	
Suitable material:	CR (polychloroprene, chloroprene rubber)
Thickness of the glove material:	-
Breakthrough time (maximum wearing time):	> 480 min

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Color:	colorless
(b) Odour:	pungent
(c) Odour threshold:	no data available

Safety relevant basic data

(d) pH:	<1
(e) Melting point/freezing point:	~-28 °C
(f) Initial boiling point and boiling range:	~60 °C
(g) Flash point:	no data available
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	not applicable
(j) Flammability or explosive limits	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
(k) Vapour pressure:	140-285 hPa (20 °C)
(I) Vapour density:	no data available
(m) Relative density:	1.175 g/cm³ (20 °C)
(n) Solubility(ies)	
Water solubility (g/L):	no data available
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	no data available
(p) Auto-ignition temperature:	no data available
(q) Decomposition temperature:	no data available
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	~2 mPa*s
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable

9.2 Other information

Bulk density:	no data available
Refraction index:	no data available
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Corrosive to metals





10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Explosive reaction with: Alkali metals Alkaline earth metal Alkali (lye) Violent reaction with: light metals Powdered metals Exothermic reaction with: Water Substance, organic

10.4 Conditions to avoid

Humidity

10.5 Incompatible materials

Metal

10.6 Hazardous decomposition products

no data available

10.7 Additional information

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects Acute oral toxicity: no data available

Acute dermal toxicity: Hydrochloric acid - LD50: > 5010 mg/kg - Rabbit - (Japan GHS Basis for Classification Data)

Acute inhalation toxicity: Hydrochloric acid - LC50: 1.68 mg/l - Rat - (Japan GHS Basis for Classification Data)





Irritant and corrosive effects

Primary irritation to the skin: Causes severe skin burns and eye damage.

Irritation to eyes: Causes serious eye damage.

Irritation to respiratory tract: May cause respiratory irritation.

Respiratory or skin sensitization

In case of skin contact: not sensitising In case of inhalation: not sensitising

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

no data available	ACGIH	IARC	NTP	OSHA

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

not applicable

Other adverse effects

no data available





Additional information

no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity: no data available

Daphnia toxicity:

Hydrochloric acid - LC50: 250 mg/l (48 h) - Portmann, J.E., and K.W. Wilson 1971. The Toxicity of 140 Substances to the Brown Shrimp and Other Marine Animals. Shellfish Information Leaflet No.22 (2nd Ed.):12 p.

Algae toxicity:

no data available

Bacteria toxicity: no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Additional information

no data available





SECTION 14: Transport information

Land transport (DOT)

UN-No.:	UN1789
Proper Shipping Name:	HYDROCHLORIC ACID
Class(es):	8
Hazard label(s):	8
Packing group:	II
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	

Sea transport (IMDG)

UN-No.:	1789
Proper Shipping Name:	HYDROCHLORIC ACID
Class(es):	8
Classification code:	
Hazard label(s):	8
Packing group:	II
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	
Segregation group:	1
EmS-No.	F-A S-B
Transport in bulk according to Annex II of MARPOL 73, not relevant	/78 and the IBC Code

Air transport (ICAO-TI / IATA-DGR)

UN-No.:	1789
Proper Shipping Name:	HYDROCHLORIC ACID
Class(es):	8
Classification code:	
Hazard label(s):	8
Packing group:	II
Special precautions for user:	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 313 Components

- Hydrochloric acid - CAS No.: 7647-01-0





Massachusetts Right To Know Components

- Hydrochloric acid - CAS No.: 7647-01-0

Pennsylvania Right To Know Components

- Hydrochloric acid - CAS No.: 7647-01-0

New Jersey Right To Know Components

- Hydrochloric acid - CAS No.: 7647-01-0

California Prop. 65 Components

Does not contain listed substances.

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts DOT - Department of Transportation IARC - International Agency for Research on Cancer IATA-DGR - International Air Transport Association-Dangerous Goods Regulations ICAO-TI - International Civil Aviation Organization-Technical Instructions IMDG - International Maritime Code for Dangerous Goods LTV - Long Term Value NIOSH - National Institute for Occupational Safety and Health NTP - National Toxicology Program **OSHA - Occupational Safety & Health Administration** PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit STV - Short Term Value SVHC - Substances of Very High Concern TDG - Transport of Dangerous Goods **TLV - Threshold Limit Value**

vPvB - very Persistent, very Bioaccumulative

Additional information

Indication of changes: Section 1

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safty precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.





