

Issue Date 15-Jan-2019

SAFETY DATA SHEET

Version 3.3

Page

1/16

 1. IDENTIFICATION

 Product identifier
 HgEx™ Reagent 3 Alkaline Reagent

 Other means of identification
 2658448

 Safety data sheet number
 M01087

 UN/ID no
 UN1500

Revision Date 08-Feb-2023

Recommended use of the chemical and restrictions on useRecommended UseDetermination of mercury.Uses advised againstNone.Restrictions on useNone.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids	Category 3
Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2A
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger

Product NameHgEx™ Reagent 3 Alkaline ReagentRevision Date08-Feb-2023Page2 / 16



Hazard statements

- H272 May intensify fire; oxidizer
- H301 Toxic if swallowed
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

- P270 Do not eat, drink or smoke when using this product
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P312 Call a POISON CENTER or doctor/physician if you feel unwell
- P280 Wear protective gloves, protective clothing, eye protection, and face protection
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical attention
- P273 Avoid release to the environment
- P391 Collect spillage
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P220 Keep/Store away from clothing/ combustible materials
- P221 Take any precaution to avoid mixing with combustibles
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Other Hazards Known

May be harmful in contact with skin Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Disodium carbonate	497-19-8	50 - 60%	-
Sodium nitrite	7632-00-0	50 - 60%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
Most important symptoms and effec	ts, both acute and delayed
Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
Indication of any immediate medical	attention and special treatment needed
Note to physicians	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable Extinguishing Media	Dry chemical. Foam. Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard.
Hazardous combustion products	Sodium oxides. Nitrogen oxides.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. Oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous
	substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Use personal protective equipment as required.
Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
ent and cleaning up
Stop leak if you can do it without risk. Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.
See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Remove contaminated clothing and shoes. Use with local exhaust ventilation. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Do not eat, drink or smoke when using this product.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep in properly labeled containers. Do not store near combustible materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in accordance with particular national and local regulations.
Flammability class	Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters				
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies			
Appropriate engineering controls				
Engineering Controls	Showers Eyewash stations Ventilation systems.			
	ch as personal protective equipment			
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.			
Hand Protection	Impervious gloves. Wear suitable gloves. Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.			
Eye/face protection	Tight sealing safety goggles.			
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Wear fire/flame resistant/retardant clothing. Wear suitable protective clothing.			
General Hygiene Considerations	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.			
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.			
Thermal hazards	None under normal processing.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	crystalline Odorless	Solid	Color Odor threshold	white No data available
Property_		V	alues	Remarks • Method
Molecular weight		Ν	o data available	
рН		1)	aqueous solution @ 20 °C
Melting point / fre	ezing point	Ν	o data available	
Initial boiling poir	nt and boiling range	e N	o data available	
Evaporation rate		Ν	ot applicable	
Vapor pressure		Ν	ot applicable	

Product NameHgEx™ Reagent 3 Alkaline ReagentRevision Date08-Feb-2023Page6 / 16

Relative vapor density	No data available
Specific Gravity	No data available
Partition coefficient	log Kow ~ -2.24
Soil Organic Carbon-Water Partition	log K₀c ~ -1.15
Autoignition temperature	No data available
Decomposition temperature	271.1 °C / 520 °F
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate Not applicable Not applicable

Volatile Organic Compounds (VOC) Content Not applicable

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Disodium carbonate	497-19-8	No data available	-
Sodium nitrite	7632-00-0	Not applicable	-

Explosive properties

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point	Not applicable
Flammability Limit in Air Upper flammability limit: Lower flammability limit:	No data available No data available
Oxidizing properties	No data available.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity Oxidizer.

Chemical stability

May cause fire or explosion; strong oxidizer.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Incompatible materials. Excessive heat.

Incompatible materials

organic material. Combustible material. Hydrocarbons.

Hazardous decomposition products

Nitrogen oxides. Sodium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	May cause irritation of respiratory tract. Harmful by inhalation.
Eye contact	Causes serious eye irritation. May cause redness, itching, and pain.
Skin contact	May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Toxic if swallowed.
Symptoms	May cause redness and tearing of the eyes. Coughing and/ or wheezing.
Acute toxicity Toxic if swallowed Harmful if inhaled	

Mixture

No data available.

Ingredient Acute Toxicity Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data

Disodium carbonate (50 - 60%) CAS#: 497-19-8	Rat LD ₅₀	4090 mg/kg	None reported	None reported	IUCLID
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Rat LD50	85 mg/kg	None reported	None reported	IUCLID

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Disodium carbonate (50 - 60%) CAS#: 497-19-8	Mouse LD50	2210 mg/kg	None reported	None reported	No information available

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Disodium carbonate (50 - 60%) CAS#: 497-19-8	Rat LC50	1.15 mg/L	4 hours	None reported	IUCLID
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Rat LC50	5.5 mg/L	4 hours	None reported	LOLI

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	166.50 mg/kg
ATEmix (dermal)	4,420.00 mg/kg
ATEmix (inhalation-dust/mist)	2.30 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Disodium carbonate (50 - 60%) CAS#: 497-19-8	Standard Draize Test	Rabbit	500 mg	24 hours	Mild skin irritant	ECHA HSDB
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	24 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Irritating to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Disodium carbonate (50 - 60%) CAS#: 497-19-8	Standard Draize Test	Rabbit	100 mg	24 hours	Eye irritant	HSDB
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Standard Draize Test	Rabbit	500 mg	24 hours	Eye irritant	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

No data available.

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Human LD⊾₀	71 mg/kg	None reported	Blood Methemoglobinemia-Carboxyhe moglobin Gastrointestinal Gas	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium nitrite (50 - 60%)	Rat TD⊾₀	110 mg/kg	22 days	None reported	RTECS
CAS#: 7632-00-0					

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Rat TC⊾₀	0.0003 mg/L	30 days	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (phosphatases, catalases)	

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Disodium carbonate	497-19-8	-	-	-	-
Sodium nitrite	7632-00-0	-	Group 2A	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 2A - Probably Carcinogenic to
	Humans
NTP (National Toxicology Program)	Does not apply
OSHA	X - Present

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Unscheduled DNA synthesis	Human HeLa Cell	6 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Cytogenetic analysis	Mouse	60 mg/kg	30 days	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	Rat TD⊾o	280 mg/kg	None reported	Fetal death Fetotoxicity (except death e.g. stunted fetus) Specific Developmental Abnormalities Blood and lymphatic systems	RTECS
				(including spleen and marrow)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

<u>Mixture</u>

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Disodium carbonate (50 - 60%) CAS#: 497-19-8	96 hours	Lepomis macrochirus	LC ₅₀	300 mg/L	IUCLID
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	96 hours	Salmo gairdneri	LC ₅₀	0.11 mg/L	ERMA

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data

Disodium carbonate (50 - 60%) CAS#: 497-19-8	48 Hours	Daphnia magna	EC ₅₀	265 mg/L	IUCLID
Sodium nitrite (50 - 60%) CAS#: 7632-00-0	48 Hours	Cherax quadricarinatus	EC ₅₀	1.1 mg/L	ERMA

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture

No data available.

Bioaccumulation MATERIAL DOES NOT BIOACCUMULATE	
Mixture No data available.	
Partition coefficient	log Kow ~ -2.24
Mobility	
Soil Organic Carbon-Water Partition Coefficient	log K₀c ~ -1.15

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D001

Special instructions for disposal Incinerate material at an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT	
UN/ID no	UN1500
Proper shipping name	SODIUM NITRITE
Transport hazard class(es)	5.1
Subsidiary class	6.1
Packing Group	III
Description	UN1500, SODIUM NITRITE, 5.1 (6.1), III, Marine pollutant
Emergency Response Guide	141
Number	
TDG	
UN/ID no	UN1500
Proper shipping name	SODIUM NITRITE
Transport hazard class(es)	5.1

Subsidiary class	6.1
Packing Group	III
Description	UN1500, SODIUM NITRITE, 5.1 (6.1), III

<u>IATA</u>

UN number or ID number	UN1500
Proper shipping name	Sodium nitrite
Transport hazard class(es)	5.1
Subsidiary hazard class	6.1
Packing group	III
ERG Code	5P
Special precautions for user	A803
Description	UN1500, Sodium nitrite, 5.1 (6.1), III
IMDG	
UN number or ID number	UN1500

UN number or ID number	UN1500
Proper shipping name	SODIUM NITRITE
Transport hazard class(es)	5.1
Subsidiary hazard class	6.1
Packing Group	III
EmS-No	F-A, S-Q
Marine pollutant	This material meets the definition of a marine pollutant
Description	UN1500, SODIUM NITRITE, 5.1 (6.1), III, Marine pollutant

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

Complies
Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Sodium nitrite (CAS #: 7632-00-0)	1.0	
SARA 311/312 Hazard Categories Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	

No

No

Reactive Hazard CWA (Clean Water Act)

Sudden release of pressure hazard

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium nitrite 7632-00-0	100 lb	-	-	Х
	·			

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium nitrite	100 lb	-	RQ 100 lb final RQ
7632-00-0			RQ 45.4 kg final RQ
UC Otata Damilatiana			•

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium nitrite	Х	Х	Х
7632-00-0			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Disodium carbonate	180.1234	21 CFR 184.1742
Sodium nitrite	180.0920	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

EN / AGHS

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Sodium nitrite	Declarable Substance (FI)	0.1 %
7632-00-0	Prohibited Substance (FI)	
	Prohibited Substance (LR)	
	Declarable Substance (LR)	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 1	Physical and chemical properties OX
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 1	Personal protection -
				Х
				- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH ATSDR CCRIS CDC CEPA CICAD ECHA EEA EPA ERMA ECOSARS FDA GESTIS	ACGIH (American Conference of Governmental Industrial Hygienists) ATSDR (Agency for Toxic Substances and Disease Registry) CCRIS (Chemical Carcinogenesis Research Information System) CDC (Center for Disease Control) CEPA (Canadian Environmental Protection Agency) CICAD (Concise International Chemical Assessment Documents) ECHA (The European Chemicals Agency) EEA (European Environment Agency) EPA (Environmental Protection Agency) ERMA (New Zealands Environmental Risk Management Authority) Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite [™] FDA (Food & Drug Administration) GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
Х	Listed	Vacated	These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.

SKN* RSP+ C M	Skin designation Respiratory sensitiz Carcinogen mutagen	zation	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant	
Prepared By		Hach Product Compliance Department			
Issue Date		15-Jan-2019			
Revision Date		08-Feb-2023			
Revision Note		None			

.....

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet