

# **SAFETY DATA SHEET**

Creation Date 12-Mar-2012 Revision Date 18-Jan-2018 Revision Number 5

1. Identification

Product Name Tris Acetate EDTA 25X Powder

Cat No.: BP1331-1

Synonyms Tris-EDTA mixture

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

Causes serious eye damage



### **Precautionary Statements**

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-,	6850-28-8	45-50
acetate (salt)		
Tris (hydroxymethyl) aminomethane	77-86-1	40-45
Tetrasodium EDTA	64-02-8	3-4
Disodium EDTA	139-33-3	3-4

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

Causes severe eye damage.

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon oxides

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 N/A

## Accidental release measures

**Personal Precautions Environmental Precautions**  Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal. Up

7. Handling and storage

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on Handling

skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Storage

8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Ensure that eyewash stations and safety showers are close to the workstation location. **Engineering Measures** 

**Personal Protective Equipment** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection** 

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

Physical and chemical properties

**Physical State** Solid Appearance White Odor Odorless

No information available **Odor Threshold** 

8-9 @ 25°C Ha No data available Melting Point/Range

**Boiling Point/Range** No information available Flash Point No information available

**Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

No data available Upper No data available Lower **Vapor Pressure** No information available

**Vapor Density** Not applicable

Revision Date 18-Jan-2018

#### Tris Acetate EDTA 25X Powder

Specific Gravity No information available

**Solubility** soluble

Partition coefficient; n-octanol/water No data available

Autoignition Temperature

**Decomposition Temperature**No information available

Viscosity Not applicable

## 10. Stability and reactivity

Reactive Hazard No

**Stability** Stable under normal conditions.

**Conditions to Avoid** Incompatible products. Avoid dust formation.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50

Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tris (hydroxymethyl) aminomethane	LD50 = 5900 mg/kg (Rat)	Not listed	Not listed
Tetrasodium EDTA	LD50 = 1658 mg/kg(Rat) LD50 = 10 g/kg(Rat)	Not listed	Not listed
Disodium EDTA	LD50 > 2 g/kg (Rat)	Not listed	Not listed

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1,3-Propanediol,	6850-28-8	Not listed				
2-amino-2-(hydroxyme						
thyl)-, acetate (salt)						
Tris (hydroxymethyl)	77-86-1	Not listed				
aminomethane						
Tetrasodium EDTA	64-02-8	Not listed				
Disodium EDTA	139-33-3	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

#### Tris Acetate EDTA 25X Powder

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Tetrasodium EDTA	EC50: = 1.01 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 41 mg/L, 96h static (Lepomis macrochirus) LC50: = 59.8 mg/L, 96h static (Pimephales promelas)	Not listed	EC50: = 610 mg/L, 24h (Daphnia magna)
Disodium EDTA	Not listed	Leuciscus idus: LC50 > 500 mg/L 96h	EC50 = 56 mg/L 8 h	> 100 mg/L 24h

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

# 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

## 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	<b>EINECS</b>	ELINCS	NLP	PICCS	<b>ENCS</b>	AICS	IECSC	KECL
1,3-Propanediol,	Χ	-	Х	229-939-6	-		Х	-	-	-	-
2-amino-2-(hydroxymethyl)-,											
acetate (salt)											
Tris (hydroxymethyl)	Χ	Χ	-	201-064-4	-		Х	Χ	Х	Х	Х
aminomethane											

Tetrasodium EDTA	Х	Х	-	200-573-9	-	Х	Χ	Х	Χ	Х
Disodium EDTA	Χ	Χ		205-358-3	-	Χ	Χ	Χ	Χ	Х

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

## U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Not applicable

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade No information available

	16. Other information
 	D 1 4 4 4 1

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 12-Mar-2012

 Revision Date
 18-Jan-2018

 Print Date
 18-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**