

## SAFETY DATA SHEET

Version 6.1 Revision Date 08/06/2019 Print Date 10/04/2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name : Chloroform-d

Product Number	:	151823
Brand	:	Aldrich
CAS-No.	:	865-49-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### **1.3** Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765

	Fax	: +1 800 325-5052
-	_	 _

#### 1.4 **Emergency telephone number**

Emergency Phone # : +1-703-527-3887

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - repeated exposure (Category 1), H372

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Aldrich - 151823

Page 1 of 10



Hazard statement(s)	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated
	exposure.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel
	unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3:** Composition/information on ingredients

## 3.1 Substances

Synonyms	: Deuterochloroform		
Formula Molecular weight CAS-No. EC-No.	: CCl <sub>3</sub> D : 120.38 g/mol : 865-49-6 : 212-742-4		
Component		Classification	Concentration
Chloroform-d			
		Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit.	<= 100 %

Aldrich - 151823

Page 2 of 10



2A; Carc. 2; Repr. 2;	
STOT RE 1; H302, H331,	
H315, H319, H351, H361,	
H372	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

- Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- **5.2** Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

Aldrich - 151823

Page 3 of 10



#### **SECTION 6:** Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- **6.4 Reference to other sections** For disposal see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Light sensitive. hygroscopic Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Chloroform-d	865-49-6	TWA	2 ppm 9.78 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Liver dama Embryo/fet	bryo/fetal damage nfirmed animal carcinogen with unknown relevance		
		ST	2 ppm 9.78 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Potential Occupational Carcinogen			

Aldrich - 151823

Page 4 of 10



See Appen	See Appendix A		
С	50 ppm 240 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone ai samples.			
PEL	2 ppm 9.78 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Aldrich - 151823

Page 5 of 10



#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -64 °C (-83 °F) - lit.
f)	Initial boiling point and boiling range	60.9 °C 141.6 °F - lit.
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	1.500 g/cm3 at 25 °C (77 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ner safety informatio	n

# 9.2 Other safety information No data available

Aldrich - 151823

Page 6 of 10



#### **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available

## **10.5 Incompatible materials** Bases, Aluminum, Strong oxidizing agents, Magnesium, Sodium/sodium oxides, Lithium

#### **10.6 Hazardous decomposition products**

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 908 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 24 h Remarks: (ECHA) Drying-out effect resulting in rough and chapped skin.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. Remarks: (ECHA)

#### Respiratory or skin sensitisation

Maximisation Test - Guinea pig Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

#### Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects. Ames test S. typhimurium Result: negative (ECHA) In vitro mammalian cell gene mutation test

Aldrich - 151823

Page 7 of 10



mouse lymphoma cells Result: positive (ECHA)

#### Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. The National Cancer Institute (NCI) has found clear evidence for carcinogenicity. Limited evidence of carcinogenicity in animal studies

- IARC: 2B Group 2B: Possibly carcinogenic to humans (Chloroform-d)
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

Suspected human reproductive toxicant No data available No data available No data available

#### Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

#### Aspiration hazard

No data available

#### **Additional Information**

RTECS: Not available

Vomiting, Gastrointestinal disturbance, Exposure to and/or consumption of alcohol may increase toxic effects.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Cardiovascular system. -

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 79 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13.3 mg/l - 72 h Remarks: (ECHA)
Toxicity to bacteria	EC50 - activated sludge - 1,010 mg/l - 3 h (OECD Test Guideline 209)

Aldrich - 151823

Page 8 of 10



#### 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 14 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C)

#### **12.3 Bioaccumulative potential** No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

#### SECTION 13: Disposal considerations

#### **13.1 Waste treatment methods**

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

#### **SECTION 14: Transport information**

#### DOT (US)

DOT (03)		
UN number: 1888 Class: 6.1	Packing group: III	
Proper shipping name: Chloroform		
Reportable Quantity (RQ): 10 lbs		
Reportable Quantity (RQ): 10 lbs		
Poison Inhalation Hazard: No		
IMDG		
UN number: 1888 Class: 6.1	Packing group: III	EMS-No: F-A, S-A
Proper shipping name: CHLOROFORM	55-1	, _
ΙΑΤΑ		
UN number: 1888 Class: 6.1	Packing group: III	

UN number: 1888 Class: 6.1 Proper shipping name: Chloroform

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

The following components are subject to reporting levels established by SARA Title III,Section 302:Chloroform-dCAS-No.Revision Date

Aldrich - 151823

Page 9 of 10



#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Chloroform-d	865-49-6	2008-11-03

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

**Reportable Quantity** D022 lbs

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components		
Chloroform-d	CAS-No.	Revision Date
	865-49-6	2008-11-03

#### **SECTION 16: Other information**

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1

Revision Date: 08/06/2019

Print Date: 10/04/2019

Aldrich - 151823

Page 10 of 10



