BOWMAN DISTRIBUTION (BARNES GROUP,INC) -- RMC RUST & MOISTURE CONTROL 4-WAY (21910) -- 8030-00N011008

```
Product ID:RMC RUST & MOISTURE CONTROL 4-WAY (21910)
  MSDS Date:06/11/1986
  FSC:8030
  NIIN:00N011008
  MSDS Number: BHVMB
  === Responsible Party ===
 Company Name: BOWMAN DISTRIBUTION (BARNES GROUP, INC)
  Address:850 EAST 72ND STREET
  City:CLEVELAND
 State:OH
 ZIP:44103
 Info Phone Num:216-391-7200
 Emergency Phone Num:216-391-7200
 CAGE: 05575
 === Contractor Identification ===
 Company Name: BOWMAN DISTRIBUTION, BARNES GROUP INC
 Address:1301 EAST 9TH ST, SUITE 700
 Box: City: CLEVELAND
 State:OH
 ZIP:44114-1824
 Country:US
 Phone: 216-416-7200
 CAGE: 05573
 Company Name: BOWMAN DISTRIBUTION, BARNES GROUP INC.
 Address:850 EAST 72ND STREET
 City:CLEVELAND
 State:OH
 ZIP:44103
 Phone: (216) 391-7200
 CAGE: 05575
 ========= Composition/Information on Ingredients ==========
Ingred Name:MINERAL SPIRITS
CAS: 64742-88-7
Other REC Limits:N/K
OSHA PEL:N/K
ACGIH TLV:N/K
Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Other REC Limits:N/K
OSHA PEL:1000 PPM
ACGIH TLV: ASPHYXIANT; 9192
Ingred Name: KEROSENE
CAS:8008-20-6
RTECS #:OA5500000
Other REC Limits:N/K
OSHA PEL:N/K
ACGIH TLV:N/K
LD50 LC50 Mixture:N/K
Reports of Carcinogenicity:NTP:NO
                                IARC:NO
                                            OSHA:NO
Health Hazards Acute and Chronic: SEE SIGNS AND SYMPTOMS OF
   OVEREXPOSURE.
```

1 of 3

Explanation of Carcinogenicity: NONE Effects of Overexposure: EYES: N/K .SKIN: N/K .INGESTION: N/K .INHALATION: MAY CAUSE DIZZINESS.IN EXTREME CASES, ABSENCE OF OXYGEN COULD PRODUCE NARCOSIS. Medical Cond Aggravated by Exposure:N/KFirst Aid: EYES: IF SPRAYED IN EYES, FLUSH IMMEDIATELY WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES.SKIN:N/K .INGESTION: CALL MD IMMEDIATELY .INHALATION: IF UNCONCSCIOUS, REMOVE PERSON TO F RESH AIR AND CALL PHYSICIAN. Flash Point Method: TCC Flash Point:-40F,-40C Lower Limits:12.0% Upper Limits:1.8% Extinguishing Media: WATER FOG, FOAM, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROT EQUIP .KEEP CONTAINERS COOL.USE EQUIP/SHIELDING REQD TO PROTECT PERSONNEL AGAINST BURSTING/VENTING CONTAINERS. Unusual Fire/Explosion Hazard: AT ELEVATED TEMPERATURES (130F, 54C OR OVER) CONTAINERS MAY VENT, RUPTURE OR BURST. HAZ DECOMP PROD:IN FIRE: CARBON DIOXIDE AND WATER. ========= Accidental Release Measures ================ Spill Release Procedures: FLUSH WITH LARGE QUANTITIES OF WATER. VENTILATE AREA. Neutralizing Agent:N/K Handling and Storage Precautions: AVOID BRTHG CONCENTRATED VAP/PARTICLES FROM ALL PROD NOT SPECIFICALLY DESIGNED FOR INHAL.READ/FOLLOW CAUTIONS ON LABEL.DO NOT STORE ABOVE 120F,49C. Other Precautions: NONE Exposure Controls/Personal Protection ========= Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . Ventilation: LOCAL AND GENERAL VENTILATION NECESSARY TO KEEP AIR CONCENTRATION BELOW TLV . Eye Protection: WEAR SAFETY GLASSES. Other Protective Equipment: NONE Work Hygienic Practices:N/K Supplemental Safety and Health VP:140 PSI @ 130F,54.4C.TLV 300 PPM (MFR). Boiling Pt:B.P. Text:-40F,-40C Melt/Freeze Pt:M.P/F.P Text:N/K Decomp Temp:Decomp Text:N/K Vapor Pres:SEE SUPP Vapor Density:4.0,AIR=1 pH:NONE Solubility in Water:LESS THAN 1%. Appearance and Odor: CLEAR GAS WITH SOLVENT ODOR. Percent Volatiles by Volume:91

Stability Indicator/Materials to Avoid:YES NONE

Stability Condition to Avoid: PRESSURIZED CONTAINERS COULD RUPTURE ABOVE 130F,54C.

Hazardous Decomposition Products: IN FIRE: CARBON DIOXIDE AND WATER.

Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS .DO NOT PUNCTURE OR INCINERATE CONTAINERS.GIVE TO DISPOSAL SERVICE HANDLING PRESSURIZED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.