



1 Identification Product identifier Product name: Potassium hydrogen sulfate Stock number: A12428, L14304 CAS Number: 7646-93-7 EC number: -594-1 Index number: 016-056-00-Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Su Bong Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. ! GHS07 STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS05 GHS07 Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. Precautionary statements

 Precautionary statements

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P340
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 P310
 Immediately call a POISON CENTER/doctor.

 P405 Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2B - Toxic material causing other toxic effects F Corrosive material Si Ste Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) 3 Health (acute effects) = 3Flammability = 00 EACTIVITY] Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 7646-93-7 Potassium hydrogen sulfate Identification number(s): EC number: 231-594-1

(Contd. on page 2)

Index number: 016-056-00-4	(Contd. of page 1)
 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available. 	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Suffur oxides (SOX) Potassium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contarninated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Store away from storag bases. Store away from storage conditions: Further information about storage conditions: This product is hydroscopic. Keep container tightly sealed. Store in cool, dry inert gas. This product is hydroscopic. Keep container tightly sealed containers. Prodect from humidity and water. Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective end hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. 	

Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.

		on date 03/14/2010
Product name: Potassium hydrogen	sulfate	
Recommended filter device for short to Use a respirator with type P100 (USA) of purifying respirators are appropriate. On Protection of hands: Impervious gloves	term use: r P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to a nly use equipment tested and approved under appropriate government standards.	(Contd. of page 2) letermine if air-
Check protective gloves prior to each use The selection of suitable gloves not only Material of gloves Nitrile rubber, NBR Penetration time of glove material (in Glove thickness 0.11 mm Eye protection: Tightly sealed goggles	re for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) 480	
Full face protection Body protection: Protective work clothin		
9 Physical and chemical properties Information on basic physical and che		
General Information Appearance:	annear propercies	
Form: Odor:	Crystalline Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	195-197 °C (383-387 °F) (dec) Not determined Not determined. Not determined Not determined Not determined	
Auto igniting: Danger of explosion:	Not determined. Not determined.	
Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	Not determined. Not determined Not applicable. 2.24 g/cm ³ (18.693 lbs/gal) Not determined. Not applicable. Not applicable.	
Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity:	Soluble : Not determined.	
dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information available.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions Rea Conditions to avoid No further relevant Incompatible materials: Water/moisture Bases Oxidizing agents Alcohols Hazardous decomposition products: Sulfur oxides (SOx) Potassium oxide	mended storage conditions. To be avoided: Decomposition will not occur if used and stored according to specifications. Pacts with strong oxidizing agents t information available.	
11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive The Registry of Toxic Effects of Chemica LD/LC50 values that are relevant for c	e effect on mouth and throat and to the danger of perforation of esophagus and stomach. al Substances (RTECS) contains acute toxicity data for this substance.	
Oral LD50 2340 mg/kg (rat) Skin irritation or corrosion: Causes se Eye irritation or corrosion: Causes ser Sensitization: No sensitizing effects kno Germ cell mutagenicity: No effects kno	evere skin burns. rious eye damage. own. own.	
Reproductive toxicity: No effects know Specific target organ system toxicity - Specific target organ system toxicity - Aspiration hazard: No effects known. Subacute to chronic toxicity: No effect	 repeated exposure: No effects known. single exposure: May cause respiratory irritation. 	
Carcinogenic categories	Ith Administration) Substance is not listed.	
12 Ecological information		
Toxicity Aquatic toxicity: No further relevant info	ormation available.	(Contd on page 4)

	Revision	date 09/14/2016
Product name: Potassium hydrogen sulfate		
Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water of Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.	course or sewage system.	(Contd. of page 3)
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.	disposal.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN2509	
UN proper shipping name DOT IMDG, IATA	Potassium hydrogen sulfate POTASSIUM HYDROGEN SULPHATE	
Transport hazard class(es) DOT Class Label Class Label IMDG, IATA	8 Corrosive substances. 8 8 (C2) Corrosive substances 8	
Class Label	8 Corrosive substances. 8	
Packing group DOT, IMDG, IATA	11	
Environmental hazards: Special precautions for user EMS Number: Segregation groups	Not applicable. Warning: Corrosive substances F-A,S-B Acids	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN2509, Potassium hydrogen sulfate, 8, II	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the su GHS label elements The product is classified and labeled in accordance with 2 Hazard pictograms	ibstance or mixture 9 CFR 1910 (OSHA HCS)	
GHS05 GHS07 Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/fac P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all conta P305+P331+P338 IF IN EYES: Rinse cautiously with water for several minutes. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P501 Dispose of contents/container in accordance with local/region National regulations All components of this product are listed in the U.S. Environmental Protection A All components of this product are listed on the Canadian Domestic Substances SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed.	nal/national/international regulations.	(Contd. on page 5)
L		USA USA

Product name: Potassium hydrogen sulfate

Contd. of page 4 Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use observed. market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 09/15/2016 / -Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (CSA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal concentration of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) IATP: National Toxicology Program (USA) MAR: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Corr. 18; Skin corrosion/irritation, Hazard Category 18 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. of page 4)

USA