

Carburetor and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 08/12/2016

Revision date: 08/12/2016

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : Carburetor and Metal Parts Cleaner

Product code : 651/652/653

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Carburetor and Metal Parts Cleaner

1.3. Details of the supplier of the safety data sheet

Kleen-Flo Tumbler ind. Ltd.
75 Advance Boulevard
L6T 4N1 Brampton - CANADA
T 905-793-4311

1.4. Emergency telephone number

Emergency number : CANUTEC (613) 996-6666

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-CA classification

Flammable liquids Category 3	H226
Acute toxicity (oral) Category 4	H302
Acute toxicity (dermal) Category 3	H311
Acute toxicity (inhalation) Category 2	H330
Skin corrosion/irritation Category 1B	H314
Serious eye damage/eye irritation Category 1	H318
Carcinogenicity Category 1B	H350
Reproductive toxicity Category 1B	H360
Specific target organ toxicity (single exposure) Category 1	H370
Specific target organ toxicity (single exposure) Category 3	H336
Specific target organ toxicity (repeated exposure) Category 1	H372
Aspiration hazard Category 1	H304
Health Hazards Not Otherwise Classified	

2.2. Label elements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



GHS02



GHS05



GHS06



GHS07



GHS08

Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) :

- H226 - Flammable liquid and vapour
- H302 - Harmful if swallowed
- H311 - Toxic in contact with skin
- H330 - Fatal if inhaled
- H314 - Causes severe skin burns and eye damage
- H350 - May cause cancer
- H360 - May damage fertility or the unborn child
- H370 - Causes damage to organs
- H336 - May cause drowsiness or dizziness
- H372 - Causes damage to organs through prolonged or repeated exposure
- H304 - May be fatal if swallowed and enters airways
- HHNOC - Causes severe damage to the respiratory tract

Precautionary statements (GHS-CA) :

- P201 - Obtain special instructions before use
- P202 - Do not handle until all safety precautions have been read and understood
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 - Keep container tightly closed
- P240 - Ground/bond container and receiving equipment
- P241 - Use explosion-proof electrical/ventilating/lighting equipment
- P242 - Use only non-sparking tools
- P243 - Take precautionary measures against static discharge
- P260 - Do not breathe dust/fume/gas/mist/vapours/spray
- P264 - Wash hands thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P271 - Use only outdoors or in a well-ventilated area

Carburetor and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P284 - Wear respiratory protection
P308+P313 - IF exposed or concerned: Get medical advice/attention
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P310 - Immediately call a POISON CENTER or doctor
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
P363 - Wash contaminated clothing before reuse
P310 - Immediately call a POISON CENTER or doctor
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P310 - Immediately call a POISON CENTER or doctor
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

5% of the mixture consists of ingredient(s) of unknown acute oral toxicity.
40% of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
19% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable.

3.2. Mixture

Name	Product identifier	%
Methylene chloride	(CAS No) 75-09-2	15-40
o-Cresol	(CAS No) 95-48-7	10-30
Xylenes (o-, m-, p- isomers)	(CAS No) 1330-20-7	7-13
2-Butoxyethanol	(CAS No) 111-76-2	5-10
o-Dichlorobenzene	(CAS No) 95-50-1	5-10
Phenol	(CAS No) 108-95-2	1-5
Ethylbenzene	(CAS No) 100-41-4	1-5
Methyl alcohol	(CAS No) 67-56-1	1-5
m-Cresol	(CAS No) 108-39-4	0.1-1
p-Cresol	(CAS No) 106-44-5	0.1-1
Potassium hydroxide	(CAS No) 1310-58-3	0.1-1
2,6-Dimethylphenol	(CAS No) 576-26-1	0.1-1

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Fatal if inhaled. May cause drowsiness or dizziness. Causes severe damage to the respiratory tract.

Symptoms/injuries after skin contact : Toxic in contact with skin. Causes severe skin burns. Symptoms may include redness, pain, blisters.

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion : Harmful if swallowed. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Carburator and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry chemical. Carbon dioxide. Water spray.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour. Products of combustion may include, and are not limited to: oxides of carbon, phosgene, chlorine, hydrogen chloride, hydrocarbons, smokes.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. No open flames. No smoking. Use special care to avoid static electric charges. Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

- Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Eliminate all ignition sources if safe to do so. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
- Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

6.4. Reference to other sections

- See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust, fume, gas, mist, vapours, spray. Do not swallow. Handle and open container with care. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Methylene chloride is subject to the standard 29 CFR 1910.1052 which may contain specific requirements for handling including protective equipment, regulated areas, monitoring and medical surveillance. The employer should review the standard and assure compliance with applicable requirements.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.
- Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated area. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store away from direct sunlight or other heat sources.

7.3. Specific end use(s)

- No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Methylene chloride (75-09-2)		
ACGIH	ACGIH TWA (ppm)	50 ppm
OSHA	OSHA PEL (TWA) (ppm)	25 ppm
OSHA	OSHA PEL (STEL) (ppm)	125 ppm (29 CFR 1910.1052)
IDLH	US IDLH (ppm)	2300 ppm
o-Cresol (95-48-7)		
ACGIH	ACGIH TWA (mg/m ³)	20 mg/m ³ (inhalable fraction and vapor)
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³

Carburetor and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

o-Cresol (95-48-7)		
NIOSH	NIOSH REL (TWA) (ppm)	2.3 ppm
Xylenes (o-, m-, p- isomers) (1330-20-7)		
ACGIH	ACGIH TWA (ppm)	100 ppm
ACGIH	ACGIH STEL (ppm)	150 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	435 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
2-Butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	240 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
IDLH	US IDLH (ppm)	700 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	24 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	5 ppm
o-Dichlorobenzene (95-50-1)		
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	ACGIH STEL (ppm)	50 ppm
OSHA	OSHA PEL (Ceiling) (mg/m ³)	300 mg/m ³
OSHA	OSHA PEL (Ceiling) (ppm)	50 ppm
IDLH	US IDLH (ppm)	200 ppm
NIOSH	NIOSH REL (ceiling) (mg/m ³)	300 mg/m ³
NIOSH	NIOSH REL (ceiling) (ppm)	50 ppm
Phenol (108-95-2)		
ACGIH	ACGIH TWA (ppm)	5 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	19 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	5 ppm
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	19 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	5 ppm
NIOSH	NIOSH REL (ceiling) (mg/m ³)	60 mg/m ³
NIOSH	NIOSH REL (ceiling) (ppm)	15.6 ppm
Ethylbenzene (100-41-4)		
ACGIH	ACGIH TWA (ppm)	20 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	435 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
IDLH	US IDLH (ppm)	800 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m ³)	435 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	545 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	125 ppm
Methyl alcohol (67-56-1)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	250 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm
IDLH	US IDLH (ppm)	6000 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	260 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	200 ppm

Carburator and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Methyl alcohol (67-56-1)		
NIOSH	NIOSH REL (STEL) (mg/m ³)	325 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	250 ppm
m-Cresol (108-39-4)		
ACGIH	ACGIH TWA (mg/m ³)	20 mg/m ³ (inhalable fraction and vapor)
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	2.3 ppm
p-Cresol (106-44-5)		
ACGIH	ACGIH TWA (mg/m ³)	20 mg/m ³ (inhalable fraction and vapor)
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	2.3 ppm
Potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, etc.) below recommended exposure limits.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Pale yellow
Odour	: Characteristic
Odour threshold	: No data available
pH	: 9.3 - 11
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 39.5 °C
Flash point	: 34 °C (PMCC)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available

Carburator and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Relative gas density	: No data available
Solubility	: Negligible
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, kinematic (calculated value) (40 °C)	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Sources of ignition. Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, phosgene, chlorine, hydrogen chloride, hydrocarbons, smokes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed. Toxic in contact with skin. Fatal if inhaled.

Carburator and Metal Parts Cleaner	
LD50 oral rat	> 300 and ≤ 2000 mg/kg (Calculated using ATE values)
LD50 dermal rabbit	> 200 and ≤ 1000 mg/kg (Calculated using ATE values)
LC50 inhalation rat	> 0.5 and ≤ 2.0 mg/L/4h (Calculated using ATE values)
Methylene chloride (75-09-2)	
LD50 oral rat	1600 mg/kg
LC50 inhalation rat	53 mg/l/6h
o-Cresol (95-48-7)	
LD50 oral rat	121 mg/kg
LD50 dermal rabbit	890 mg/kg
LC50 inhalation rat	> 1220 mg/m³/1h
Xylenes (o-, m-, p- isomers) (1330-20-7)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	> 4350 mg/kg
LC50 inhalation rat	29.08 mg/l/4h
2-Butoxyethanol (111-76-2)	
LD50 oral rat	470 mg/kg
LD50 dermal rabbit	99 mg/kg
LC50 inhalation rat	450 ppm/4h
o-Dichlorobenzene (95-50-1)	
LD50 oral rat	1516 mg/kg
LD50 dermal rabbit	> 10 g/kg
LC50 inhalation rat	9.2 mg/l/6h
Phenol (108-95-2)	
LD50 oral rat	340 mg/kg

Carburator and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

Phenol (108-95-2)	
LD50 dermal rabbit	630 mg/kg
Ethylbenzene (100-41-4)	
LD50 oral rat	3500 mg/kg
LD50 dermal rabbit	15400 mg/kg
LC50 inhalation rat	17.2 mg/l/4h
Methyl alcohol (67-56-1)	
LD50 oral rat	6200 mg/kg
LC50 inhalation rat	22500 ppm/8h
m-Cresol (108-39-4)	
LD50 oral rat	242 mg/kg
LD50 dermal rabbit	2830 mg/kg
LC50 inhalation rat	> 710 mg/m³/1h
p-Cresol (106-44-5)	
LD50 oral rat	207 mg/kg
LD50 dermal rabbit	300 mg/kg
LC50 inhalation rat	> 710 mg/m³/1h
Potassium hydroxide (1310-58-3)	
LD50 oral rat	284 mg/kg
2,6-Dimethylphenol (576-26-1)	
LD50 oral rat	296 mg/kg
LD50 dermal rabbit	1 g/kg

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: May cause cancer.

Methylene chloride (75-09-2)	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 3 - Reasonably anticipated to be Human Carcinogen
Xylenes (o-, m-, p- isomers) (1330-20-7)	
IARC group	3 - Not classifiable
2-Butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable
o-Dichlorobenzene (95-50-1)	
IARC group	3 - Not classifiable
Phenol (108-95-2)	
IARC group	3 - Not classifiable
Ethylbenzene (100-41-4)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity

Reproductive toxicity	: May damage fertility or the unborn child.
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness. Causes damage to organs.
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: Fatal if inhaled. May cause drowsiness or dizziness. Causes severe damage to the respiratory tract.
Symptoms/injuries after skin contact	: Toxic in contact with skin. Causes severe skin burns. Symptoms may include redness, pain, blisters.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion	: Harmful if swallowed. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
-------------------	---

Carburetor and Metal Parts Cleaner

Safety Data Sheet

according to the Hazardous Products Regulations (HPR) WHMIS 2015

12.2. Persistence and degradability

Carburetor and Metal Parts Cleaner	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Carburetor and Metal Parts Cleaner	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

Transportation of Dangerous Goods (TDG)

In accordance with Transportation of Dangerous Goods: **Stock #652 & #653**

UN-No. (TDG) : UN2810

Proper Shipping Name (Transportation of Dangerous Goods) : TOXIC LIQUID, ORGANIC, N.O.S (Cresylic Acid Mixture)

TDG Primary Hazard Classes : 6.1

Hazard labels (TDG) :



Packing group : III

#651: Limited Quantity

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

SECTION 16: Other information

Date of issue : 08/12/2016

Revision date : 08/12/2016

Other information : None.

Prepared by : Kleen-Flo Tumbler Ind. Ltd.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.