

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product Identifier**

Product Name	Conductivity / TSD Standard Solutions 1413 µS/cm Conductivity Solution 1500 µS/cm Conductivity Solution 84 µS/cm Conductivity Solution 12880 µS/cm Conductivity Solution 2764 µS/cm Conductivity Solution 23 µS/cm Conductivity Solution 270 µS/cm Conductivity Solution 80 ms Conductivity Solution 447 µS/cm Conductivity Solution 15000 µS/cm Conductivity Solution 8974 µS/cm Conductivity Solution 10 µS/cm Conductivity Solution 3 PPT as NaCl Pouch, 5650 µS/cm
Product Number(s)	CONDUCTIVITY / TSD STANDARD SOLUTIONS 00606-10, 00653-15, 00653-16, 00653-18, 00653-20, 00653-23, 00653-27, 00653-32, 00653-47, 00653-50, 00653-89, 35653-09, 35653-10, 35653-11, 35653-12, 35653-13, 353653-15
Pure substance/mixture	Mixture
<u>Relevant identified uses of the substance or mixture and uses advised against</u>	
Recommended Use	Use as laboratory reagent
Uses advised against	No Information available
<u>Manufacturer, Importer, Supplier</u>	Cole-Parmer™ North America 625 East Bunker Court Vernon Hills, IL 60061 USA Tel: 1-800-323-4340
E-mail address	info@coleparmer.com
Made in	USA
<u>Emergency Telephone</u>	888-358-4717 8:00 am - 6:00 pm CST

Product Name

Conductivity / TSD Standard Solutions
1413 µS/cm Conductivity Solution
1500 µS/cm Conductivity Solution
84 µS/cm Conductivity Solution
12880 µS/cm Conductivity Solution
2764 µS/cm Conductivity Solution
23 µS/cm Conductivity Solution
270 µS/cm Conductivity Solution
80 ms Conductivity Solution
447 µS/cm Conductivity Solution
15000 µS/cm Conductivity Solution
8974 µS/cm Conductivity Solution
10 µS/cm Conductivity Solution
3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date

04-Aug-2015

2. HAZARDS IDENTIFICATION**Classification****OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label Elements**Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Clear**Physical State** Liquid**Odor** None

Safety data sheet available on request

Precautionary Statements

Do not handle until all safety information has been read and understood.

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****General Advice**

Use first aid treatment according to the nature of the injury. Get medical attention

Product Name

Conductivity / TSD Standard Solutions
1413 µS/cm Conductivity Solution
1500 µS/cm Conductivity Solution
84 µS/cm Conductivity Solution
12880 µS/cm Conductivity Solution
2764 µS/cm Conductivity Solution
23 µS/cm Conductivity Solution
270 µS/cm Conductivity Solution
80 ms Conductivity Solution
447 µS/cm Conductivity Solution
15000 µS/cm Conductivity Solution
8974 µS/cm Conductivity Solution
10 µS/cm Conductivity Solution
3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date

04-Aug-2015

	immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. If skin reactions occur, contact a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician or Poison Control Center immediately.
Protection of First-aiders	Use personal protective equipment. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Product Name

Conductivity / TSD Standard Solutions
 1413 µS/cm Conductivity Solution
 1500 µS/cm Conductivity Solution
 84 µS/cm Conductivity Solution
 12880 µS/cm Conductivity Solution
 2764 µS/cm Conductivity Solution
 23 µS/cm Conductivity Solution
 270 µS/cm Conductivity Solution
 80 ms Conductivity Solution
 447 µS/cm Conductivity Solution
 15000 µS/cm Conductivity Solution
 8974 µS/cm Conductivity Solution
 10 µS/cm Conductivity Solution
 3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date
 04-Aug-2015

Personal Precautions

Use personal protective equipment. Refer to Section 8. Evacuate personnel to safe areas.

Environmental Precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and Material for Containment and Cleaning Up**Methods for Containment**

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE**Precautions for Safe Handling****Handling**

To avoid risks to human health and the environment, comply with the instructions for use
 Wear personal protective equipment
 Avoid breathing dust/fume/gas/mist/vapours/spray
 Ensure adequate ventilation, especially in confined areas

Conditions for Safe Storage, Including any Incompatibilities**Storage**

Keep container tightly closed in a dry and well-ventilated place
 Store at room temperature in the original container
 Keep away from direct sunlight

Incompatible Products

No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls**Engineering Measures**

Showers
 Eyewash stations
 Ventilation systems

Individual protection measures, such as personal protective equipment**Eye/face Protection**

Wear chemical splash goggles. If splashes are likely to occur, wear: Face-shield.

Skin and Body Protection

Wear protective gloves/clothing.

Respiratory Protection

None required under normal usage. In case of inadequate ventilation wear respiratory protection.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Product Name

Conductivity / TSD Standard Solutions
 1413 µS/cm Conductivity Solution
 1500 µS/cm Conductivity Solution
 84 µS/cm Conductivity Solution
 12880 µS/cm Conductivity Solution
 2764 µS/cm Conductivity Solution
 23 µS/cm Conductivity Solution
 270 µS/cm Conductivity Solution
 80 ms Conductivity Solution
 447 µS/cm Conductivity Solution
 15000 µS/cm Conductivity Solution
 8974 µS/cm Conductivity Solution
 10 µS/cm Conductivity Solution
 3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date

04-Aug-2015

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical State	Liquid
Appearance	Clear
Odor	None
Odor Threshold	No information available
PH Range	4.75 - 7.75

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point/freezing point	No information available	
Boiling Point/Range	~ 100 °C / 212 °F	
Flash Point	N/A	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	soluble	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition Temperature		
Decomposition Temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density	No Information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY**Reactivity**

No Information available

Chemical Stability

Stable under normal conditions

Product Name

Conductivity / TSD Standard Solutions
1413 µS/cm Conductivity Solution
1500 µS/cm Conductivity Solution
84 µS/cm Conductivity Solution
12880 µS/cm Conductivity Solution
2764 µS/cm Conductivity Solution
23 µS/cm Conductivity Solution
270 µS/cm Conductivity Solution
80 ms Conductivity Solution
447 µS/cm Conductivity Solution
15000 µS/cm Conductivity Solution
8974 µS/cm Conductivity Solution
10 µS/cm Conductivity Solution
3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date
04-Aug-2015

Possibility of Hazardous Reactions

None under normal processing

Conditions to Avoid

Extremes of temperature and direct sunlight

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation	No information available
Eye Contact	No information available
Skin Contact	No information available
Ingestion	No information available

Information on Toxicological Effects

Symptoms No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available
Mutagenic Effects	No information available
Carcinogenicity	No information available.
Reproductive Effects	No information available
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Aspiration hazard	No information available

Numerical measures of toxicity - Product Information

Product Name

Conductivity / TSD Standard Solutions
 1413 µS/cm Conductivity Solution
 1500 µS/cm Conductivity Solution
 84 µS/cm Conductivity Solution
 12880 µS/cm Conductivity Solution
 2764 µS/cm Conductivity Solution
 23 µS/cm Conductivity Solution
 270 µS/cm Conductivity Solution
 80 ms Conductivity Solution
 447 µS/cm Conductivity Solution
 15000 µS/cm Conductivity Solution
 8974 µS/cm Conductivity Solution
 10 µS/cm Conductivity Solution
 3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date

04-Aug-2015

12. ECOLOGICAL INFORMATION**Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Waste Disposal Methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

Product Name

Conductivity / TSD Standard Solutions
 1413 µS/cm Conductivity Solution
 1500 µS/cm Conductivity Solution
 84 µS/cm Conductivity Solution
 12880 µS/cm Conductivity Solution
 2764 µS/cm Conductivity Solution
 23 µS/cm Conductivity Solution
 270 µS/cm Conductivity Solution
 80 ms Conductivity Solution
 447 µS/cm Conductivity Solution
 15000 µS/cm Conductivity Solution
 8974 µS/cm Conductivity Solution
 10 µS/cm Conductivity Solution
 3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date

04-Aug-2015

ADR Not regulated**ADN** Not regulated**15. REGULATORY INFORMATION****International Inventories**

USINV	Complies
CANINV	Complies
EINECS/ELINCS	Complies
ENCS	Does not Comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**CANINV/ DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**ENCS** - Japanese Existing and New Chemical Substances**IECSC** - Chinese Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous**Categorization**

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Product Name

Conductivity / TSD Standard Solutions
1413 µS/cm Conductivity Solution
1500 µS/cm Conductivity Solution
84 µS/cm Conductivity Solution
12880 µS/cm Conductivity Solution
2764 µS/cm Conductivity Solution
23 µS/cm Conductivity Solution
270 µS/cm Conductivity Solution
80 ms Conductivity Solution
447 µS/cm Conductivity Solution
15000 µS/cm Conductivity Solution
8974 µS/cm Conductivity Solution
10 µS/cm Conductivity Solution
3 PPT as NaCl Pouch, 5650 µS/cm

Revision Date

04-Aug-2015

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

State Right-to-Know**U.S. EPA Label Information**

No information available

16. OTHER INFORMATION

Prepared By	Thermo Fisher Scientific© Water and Lab Products 22 Alpha Road Chelmsford, MA 01824, USA 1-978-232-6000
Prepared For	Cole-Parmer™
Issue Date	No information available
Revision Date	04-Aug-2015
Expiration Date	SDS is valid 3 years from the revision date. Contact info@coleparmer.com for the latest revision.
Reason for revision	Updated Product Names.

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet