MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: 2-26 ® Multi Purpose Precision Lubricant - Aerosol

Product Number (s): 02004, 02005, 02024, 02005-6, 82005

Manufactured By: CRC Industries, Inc. (215) 674-4300

885 Louis Drive, Warminster, PA 18974

24-Hour Emergency Information: CHEMTREC

(800) 424-9300

Section 2: Composition/Information on Ingredients

CAS ACGIH **OSHA** OTHER % Component PEL LIMITS NUMBER TLV 60-70 Petroleum Distillate 64742-47-8 NE 400 ppm NE 5 mg/m3 (mist) 25-30 Inhibited Paraffinic Oil Mixture 5 mg/m310000 ppm Carbon Dioxide 124-38-9 5000 ppm NE < 5

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: Amber liquid, pleasant odor.

Danger: Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Potential Health Effects:

Inhalation:

Headaches, nausea, dizziness and breathing problems.

Eyes:

Irritation

Skin:

Dryness

Ingestion:

Gastrointestinal discomfort

Carcinogenicity:

OSHA:

No

NTP:

No

Chronic Overexposure:

No

IARC:

Dermatitis.

Medical Conditions Aggravated by Exposure:

Section 4: First Aid Measures

Inhalation:

Remove to fresh air. Give artificial respiration if necessary.

Eyes:

Flush with large amounts of water for 15 minutes.

Skin:

Remove contaminated clothing and wash area with soap and water.

Ingestion:

Call a physician. Do not induce vomiting.

ame:

2-26 ® Multi Purpose Precision Lubricant - Aerosol

ct Number (s): 02004, 02005, 02024, 02005-6, 82005

Section 5: Fire-Fighting Measures

Flashpoint:

195°F

TCC Method:

LEL: ND

UEL: ND

Extinguishing Media:

CO₂, dry chemical and foam

Hazardous Combustion Products:

CO₂ and carbon monoxide (fire)

Fire-fighting Instructions:

Remove containers from fire area if possible. Use self-contained

breathing apparatus for fire fighting. Aerosol cans may explode if heated

above 120°F.

NFPA: HMIS: Health: Health: 1 1 Flammability: Flammability: 2 2 Reactivity: Reactivity: 0 0

PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Aerosol Level: III

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State:

Liquid

Appearance & Odor:

Amber liquid, pleasant odor

Specific Gravity: Freezing Point:

0.8127 ND

Boiling Point: Vapor Pressure: 424°F (initial) 0.23 mm

Evaporation Rate:

slow .01 (toluene=1) Vapor Density (air = 1)

> air

pH:

Solubility:

Negligible in water

Volatile Organic Compounds %:

0.0

g/L: 0.0 lbs./gal:

0.0

Section 10: Stability and Reactivity

Stability:

Stable

Hazardous Polymerization: No

Chemical Incompatibilities: Materials to Avoid:

Strong oxidizers. Strong oxidizers.

Page 2 of 3

2-26 ® Multi Purpose Precision Lubricant - Aerosol ame: et Number (s): 02004, 02005, 02024, 02005-6, 82005 zardous Decomposition Products: None Section 11: Toxicological Information Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information. -----Section 12: Ecological Information No data available. **Ecotoxicity:** No data available for biodegradation. Environmental Fate: Section 13: Disposal Considerations Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water. ______ Section 14: Transportation Information Consumer Commodity Shipping Name: NA Packing Group: UN Number: NA ORM-D Hazard Class: NA Placard: NA Label: NA Special Provisions: Section 15: Regulatory Information All components are either listed under TSCA or are exempt. TSCA: Acute/Pressure Section 311/312: SARA Title III: None Section 313*: NA CERCLA/Superfund (RQ): Extremely Hazardous Substances: No No California Prop 65: * See section 2 for percentage Section 16: Additional Information August 1, 2006 Date: Michelle Rudnick Prepared By: 591B CRC #:

(800) 521-3168

Technical Information: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

Not Applicable NA:

Chemical Abstract Service CAS: Not Determined ND: Parts per Million Not Established ppm: NE: Tag Closed Cup TCC: grams per Liter g/L: Lower Explosive Limit LEL: pounds per gallon lbs./gal: Upper Explosive Limit UEL: Reportable Quantity RQ: Personal Protection Equipment PPE: Cleveland Closed Cup COC: