

## SAFETY DATA SHEET

Version 6.9  
Revision Date 03/04/2024  
Print Date 04/21/2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Diphenylamine

Product Number : 242586  
Brand : Sigma-Aldrich  
Index-No. : 612-026-00-5  
CAS-No. : 122-39-4

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Acute toxicity, Oral (Category 3), H301  
Acute toxicity, Inhalation (Category 3), H331  
Acute toxicity, Dermal (Category 3), H311

Sigma-Aldrich - 242586

Page 1 of 11

Specific target organ toxicity - repeated exposure (Category 2), Kidney, Liver, spleen, H373  
 Short-term (acute) aquatic hazard (Category 1), H400  
 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H301 + H311 + H331  
 H373

Toxic if swallowed, in contact with skin or if inhaled.  
 May cause damage to organs (Kidney, Liver, spleen) through prolonged or repeated exposure.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P260

Do not breathe dust.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing.

P301 + P310 + P330

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 Rinse mouth.

P302 + P352 + P312

IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.

P304 + P340 + P311

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.

P314

Get medical advice/ attention if you feel unwell.

P362

Take off contaminated clothing and wash before reuse.

P391

Collect spillage.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                  |                                     |
|------------------|-------------------------------------|
| Formula          | : C <sub>12</sub> H <sub>11</sub> N |
| Molecular weight | : 169.22 g/mol                      |
| CAS-No.          | : 122-39-4                          |
| EC-No.           | : 204-539-4                         |
| Index-No.        | : 612-026-00-5                      |

| Component | Classification | Concentration |
|-----------|----------------|---------------|
|-----------|----------------|---------------|

|                      |                                                                                                          |          |
|----------------------|----------------------------------------------------------------------------------------------------------|----------|
| <b>diphenylamine</b> |                                                                                                          |          |
|                      | Acute Tox. 3; STOT RE 2;<br>Aquatic Acute 1; Aquatic<br>Chronic 1; H301, H331,<br>H311, H373, H400, H410 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

Wash off with polyethylene glycol and afterwards with plenty of water. Take victim immediately to hospital. Take off all contaminated clothing immediately. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## **5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Nitrogen oxides (NO<sub>x</sub>)

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

## **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### **Storage class**

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

| Component     | CAS-No.  | Value                                  | Control parameters   | Basis                                                                                   |
|---------------|----------|----------------------------------------|----------------------|-----------------------------------------------------------------------------------------|
| diphenylamine | 122-39-4 | TWA                                    | 10 mg/m <sup>3</sup> | USA. ACGIH Threshold Limit Values (TLV)                                                 |
|               | Remarks  | Not classifiable as a human carcinogen |                      |                                                                                         |
|               |          | TWA                                    | 10 mg/m <sup>3</sup> | USA. NIOSH Recommended Exposure Limits                                                  |
|               |          | PEL                                    | 10 mg/m <sup>3</sup> | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber  
Minimum layer thickness: 0.11 mm  
Break through time: 480 min  
Material tested: KCL 741 Dermatrill® L

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

|                                                 |                                                       |
|-------------------------------------------------|-------------------------------------------------------|
| a) Appearance                                   | Form: crystalline<br>Color: white                     |
| b) Odor                                         | No data available                                     |
| c) Odor Threshold                               | No data available                                     |
| d) pH                                           | No data available                                     |
| e) Melting point/freezing point                 | Melting point/range: 50 - 53 °C (122 - 127 °F) - lit. |
| f) Initial boiling point and boiling range      | 302 °C 576 °F - lit.                                  |
| g) Flash point                                  | No data available                                     |
| h) Evaporation rate                             | No data available                                     |
| i) Flammability (solid, gas)                    | No data available                                     |
| j) Upper/lower flammability or explosive limits | No data available                                     |
| k) Vapor pressure                               | 1 hPa at 108 °C (226 °F)                              |
| l) Vapor density                                | No data available                                     |
| m) Density                                      | 1.160 g/cm <sup>3</sup>                               |
| Relative density                                | No data available                                     |

- |                                              |                   |
|----------------------------------------------|-------------------|
| n) Water solubility                          | insoluble         |
| o) Partition coefficient:<br>n-octanol/water | log Pow: 3.5      |
| p) Autoignition<br>temperature               | No data available |
| q) Decomposition<br>temperature              | No data available |
| r) Viscosity                                 | No data available |
| s) Explosive properties                      | No data available |
| t) Oxidizing properties                      | none              |

## 9.2 Other safety information

Surface tension 39.3 mN/m at 60 °C (140 °F)

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:  
Oxidizing agents  
Strong acids

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg  
(Expert judgment)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l - dust/mist

(Expert judgment)

Acute toxicity estimate Dermal - 300 mg/kg

(Expert judgment)

No data available

#### **Skin corrosion/irritation**

Remarks: No data available

#### **Serious eye damage/eye irritation**

Remarks: No data available

#### **Respiratory or skin sensitization**

No data available

#### **Germ cell mutagenicity**

Test Type: gene mutation test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

#### **Carcinogenicity**

IARC: 2B - Group 2B: Possibly carcinogenic to humans (diphenylamine)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

- Kidney, Liver, spleen

#### **Aspiration hazard**

No data available

### **11.2 Additional Information**

RTECS: JJ7800000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Nausea, Vomiting, Liver injury may occur., Kidney injury may occur.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

## SECTION 12: Ecological information

### 12.1 Toxicity

|                                                     |                                                                                                                                                                                                |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | LC50 - Pimephales promelas (fathead minnow) - 3.79 mg/l - 96.0 h<br>LC50 - Oryzias latipes (Orange-red killifish) - 2.2 mg/l - 48 h<br>Remarks: (IUCLID)                                       |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - 2 mg/l - 48 h<br>(OECD Test Guideline 202)                                                                                                                 |
| Toxicity to algae                                   | EC50 - Pseudokirchneriella subcapitata (green algae) - 2.17 mg/l - 72 h<br>(OECD Test Guideline 201)<br>NOEC - Pseudokirchneriella subcapitata - 0.37 mg/l - 72 h<br>(OECD Test Guideline 201) |

### 12.2 Persistence and degradability

|                  |                                                                                                         |
|------------------|---------------------------------------------------------------------------------------------------------|
| Biodegradability | aerobic - Exposure time 28 d<br>Result: 26 % - Not readily biodegradable.<br>(OECD Test Guideline 301D) |
|------------------|---------------------------------------------------------------------------------------------------------|

### 12.3 Bioaccumulative potential

|                 |                                                                                 |
|-----------------|---------------------------------------------------------------------------------|
| Bioaccumulation | Cyprinus carpio (Carp)(diphenylamine)<br><br>Bioconcentration factor (BCF): 253 |
|-----------------|---------------------------------------------------------------------------------|

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 2811    Class: 6.1    Packing group: III  
Proper shipping name: Toxic solids, organic, n.o.s. (diphenylamine)  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

#### IMDG

UN number: 2811    Class: 6.1    Packing group: III    EMS-No: F-A, S-A  
Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (diphenylamine)  
Marine pollutant : yes

#### IATA

UN number: 2811    Class: 6.1    Packing group: III  
Proper shipping name: Toxic solid, organic, n.o.s. (diphenylamine)

---

## SECTION 15: Regulatory information

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

|               | CAS-No.  | Revision Date |
|---------------|----------|---------------|
| diphenylamine | 122-39-4 | 2007-03-01    |

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

|               | CAS-No.  | Revision Date |
|---------------|----------|---------------|
| diphenylamine | 122-39-4 | 2007-03-01    |

#### Pennsylvania Right To Know Components

|               | CAS-No.  | Revision Date |
|---------------|----------|---------------|
| diphenylamine | 122-39-4 | 2007-03-01    |

---

## SECTION 16: Other information

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.9

Revision Date: 03/04/2024

Print Date: 04/21/2024