

SAFETY DATA SHEET

NALCO® 1254 LIQUID

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 1254 LIQUID

Other means of identification : Not applicable.

Recommended use : BOILER TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Canada ULC
1055 Truman Street
Burlington, Ontario L7R 3Y9
Canada
TEL: (905)633-1000

Emergency telephone number : (800)463-3216 (24 Hours)
For Transportation Emergencies call CANUTEC 613-996-6666 (24 hours)

Issuing date : 2018/07/03

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitization : Sub-category 1A

GHS Label element

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.
Response:
IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.
Storage:
Protect product from freezing.

SAFETY DATA SHEET

NALCO® 1254 LIQUID

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%) (w/w) *
Carbohydrazide	497-18-7	5 - 10
Morpholine	110-91-8	1 - 5

* Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx)

SAFETY DATA SHEET

NALCO® 1254 LIQUID

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers. Protect product from freezing.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Morpholine	110-91-8	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m ³	NIOSH REL
		STEL	30 ppm 105 mg/m ³	NIOSH REL
		TWA	20 ppm 70 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

SAFETY DATA SHEET

NALCO® 1254 LIQUID

Eye protection	: Wear chemical splash goggles.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Wear suitable protective clothing.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: colourless
Odour	: amine-like
Flash point	: , Method: ASTM D 93, Pensky-Martens closed cup, Not applicable.
pH	: 10.4,(100 %), Method: ASTM E 70
Odour Threshold	: no data available
Melting point/freezing point	: Freezing Point: -3 °C, ASTM D-1177
Initial boiling point and boiling range	: 100 °C, (760 mm Hg), Method: ASTM D 86
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 0.5 mm Hg, (37.8 °C), EPA 25E,
Relative vapour density	: no data available
Relative density	: 1.02, (21 °C), ASTM D-1298
Density	: 1.02 g/cm ³ , 8.5 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: 3 mPa.s (21 °C), Method: ASTM D 2983
Viscosity, kinematic	: no data available
Molecular weight	: no data available

SAFETY DATA SHEET

NALCO® 1254 LIQUID

VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Freezing temperatures.

Incompatible materials : Certain amines in contact with nitrous acid, organic or inorganic nitrites or atmospheres with high nitrous oxide concentrations may produce N-nitrosamines, many of which are cancer-causing agents to laboratory animals. Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

Hazardous decomposition products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin : Causes skin irritation. May cause allergic skin reaction.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Irritation

Skin contact : Redness, Irritation, Allergic reactions

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

SAFETY DATA SHEET

NALCO® 1254 LIQUID

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: > 40 mg/l Exposure time: 4 h
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: Mutagenicity tests on morpholine provided the following results: A bacterial mutagenicity (Ames) bioassay was negative; sister chromatid exchange transformation was positive; mouse lymphoma was weakly positive and rat hepatocyte/DNA repair was negative.
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish	: LC50 Oncorhynchus mykiss (rainbow trout): 360 mg/l Exposure time: 96 hrs Test substance: Product LC50 Lepomis macrochirus (Bluegill sunfish): 190 mg/l Exposure time: 96 hrs Test substance: Product LC50 Pimephales promelas (fathead minnow): 400 mg/l Exposure time: 96 hrs Test substance: Product NOEC Pimephales promelas (fathead minnow): 100 mg/l Exposure time: 96 hrs Test substance: Product
Toxicity to daphnia and other aquatic invertebrates	: LC50 Daphnia magna (Water flea): 96 mg/l Exposure time: 48 hrs Test substance: Product NOEC Daphnia magna (Water flea): 20 mg/l

SAFETY DATA SHEET

NALCO® 1254 LIQUID

Exposure time: 48 hrs
Test substance: Product

Toxicity to algae : no data available

Components

Toxicity to algae : Carbohydrazide
EC50 : 1.5 mg/l
Exposure time: 72 h

Components

Toxicity to bacteria : Carbohydrazide
230 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Carbohydrazide
NOEC: 0.98 mg/l
Exposure time: 7 d

Persistence and degradability

no data available

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

In Ontario, the waste class under Regulation 347 is: 268L

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

SAFETY DATA SHEET

NALCO® 1254 LIQUID

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

NPRI Components : Hydrazine


This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 2018/07/03
Version Number : 1.1
Prepared By : Regulatory Affairs (905)633-1000

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality

SAFETY DATA SHEET

NALCO® 1254 LIQUID

specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.