

Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

SECTION 1. IDENTIFICATION

Product name : Dichloromethane

Number : 00000020387

Product Use Description : Laboratory chemicals

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street

Muskegon, MI 49442

For more information call : 1-800-368-0050

+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

:

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid

Color : colourless

Odor : sweet

Page 1 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Classification of the substance or mixture

Classification of the substance : Skin irritation, Category 2

or mixture

Skin irritation, Category 2
Eye irritation, Category 2A
Carcinogenicity, Category 2

Specific target organ toxicity - single exposure, Category 3,

Central nervous system

GHS Label elements, including precautionary statements

Symbol(s) :





Signal word : Warning

Hazard statements : Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness. Suspected of causing cancer.

Precautionary statements : **Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

NTP: Dichloromethane 75-09-2

Reasonably Anticipated to be a Human Carcinogen.

IARC: Dichloromethane 75-09-2

Group 2A: Probably carcinogenic to humans

ACGIH: Dichloromethane 75-09-2

A3: Confirmed animal carcinogen

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : CH2Cl2

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Dichloromethane	75-09-2	>=99.00 %

Page 3 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

SECTION 4. FIRST AID MEASURES

General advice : First aider needs to protect himself. Move out of dangerous

area. If unconscious, place in recovery position and seek medical advice. Take off all contaminated clothing immediately.

Inhalation : If breathed in, move person into fresh air. If symptoms persist,

call a physician.

Skin contact : After contact with skin, wash immediately with plenty of water.

Consult a physician.

Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Protect unharmed eye. Consult a physician.

Ingestion : When swallowed, allow water to be drunk. Call a physician

immediately.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

Water spray Dry powder

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: This product is not flammable at ambient temperatures and

atmospheric pressure.

Exposure to decomposition products may be a hazard to

health.

In case of fire hazardous decomposition products may be

produced such as:

Phosgene Chlorine (Cl2) Carbon monoxide

Page 4 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Carbon dioxide (CO2)

Gaseous hydrogen chloride (HCI).

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Cool containers/tanks with water spray.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.
Evacuate personnel to safe areas.

Wear personal protective equipment. Unprotected persons

must be kept away.

Do not breathe vapours or spray mist.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

Methods and materials for containment and cleaning

up

Ventilate the area.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Wear personal protective equipment.

Use only with adequate ventilation. Do not breathe vapours or spray mist.

Advice on protection against : Keep away from heat and sources of ignition.

Page 5 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

fire and explosion Normal measures for preventive fire protection.

Storage

Conditions for safe storage, :

including any incompatibilities

Store in original container.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment. Avoid exposure - obtain special instructions before use.

Engineering measures : Use with local exhaust ventilation.

Eye protection : Safety goggles

Hand protection : Impervious gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Impervious clothing

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Hygiene measures : Keep working clothes separately.

Take off all contaminated clothing immediately. Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of workday.

Exposure Guidelines

Components	CAS-No.	Value	Control	Upda	Basis
			parameters	te	

Page 6 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Dichloromethane	75-09-2	TWA: Time weighted average	(50 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Dichloromethane	75-09-2	REF: Referenc e:	29 CFR 1910.1052	03 2012	OSHASP:US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)
Dichloromethane	75-09-2	TWA: Time weighted average	(25 ppm)	02 2006	OSHASP:US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)
Dichloromethane	75-09-2	OSHA_A CT: OSHA Action level:	(12.5 ppm)	02 2006	OSHASP:US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)
Dichloromethane	75-09-2	STEL: Short term exposure limit	(125 ppm)	02 2006	OSHASP:US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Page 7 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Physical state : liquid

Color : colourless

Odor : sweet

Odor threshold : Note: no data available

pH : Note: Not applicable

Melting point/range : -97 °C

Boiling point/boiling range : 39 - 41 °C at 1,013 hPa

Flash point : Note: Not applicable

Evaporation rate : Note: no data available

Lower explosion limit : 13 %(V)

Upper explosion limit : 22 %(V)

Vapor pressure : 453 hPa

at 20 °C(68 °F)

Vapor density : Note: no data available

Density : 1.32 - 1.33 g/cm3 at 20 °C

Water solubility : 20.0 g/l at 20 °C

Page 8 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Solubility in other solvents : Note: soluble

Partition coefficient:

n-octanol/water

: log Pow: 1.25

Ignition temperature : 605 °C

Decomposition temperature : > 120 °C

Note: Decomposition temperature

Viscosity, dynamic : 0.44 mPa.s at 20 °C

Viscosity, kinematic : Note: no data available

Molecular weight : 84.93 g/mol

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Exposure to sunlight.

Incompatible materials : Alkali metals

Amines Bases

Alkaline earth metals Powdered metals Strong oxidizing agents

Strong acids

Hazardous decomposition : In case of fire hazardous decomposition products may be

Page 9 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

products produced such as:

Phosgene Chlorine (Cl2) Carbon monoxide Carbon dioxide (CO2)

Gaseous hydrogen chloride (HCl).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: > 2,000 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Note: No deaths

Acute inhalation toxicity : LC50: 86 mg/l

Species: Mouse

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: Rat

Method: OECD Test Guideline 402

Skin irritation : Species: Rabbit

Result: Irritating to skin.

Method: OECD Test Guideline 404

Eye irritation : Species: rabbit eye

Result: Irritating to eyes.

Sensitisation : Species: Mouse

Result: non-sensitizing Method: OECD 429

Page 10 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Dichloromethane : Test Method: Ames test

Result: positive

Test Method: In vitro gene mutation study in mammalian cells

Cell type: Chinese Hamster Ovary Cells

Result: positive

Test Method: Unscheduled DNA synthesis

Result: positive

Note: Liver cells Mouse

Further information : Note: Confirmed animal carcinogen with unknown relevance to

humans.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish : LC50: 193 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

: LC50: 97 mg/l Exposure time: 48 h Species: Fish

: NOEC: 142 mg/l Exposure time: 28 d

Species: Pimephales promelas (fathead minnow)

Note: mortality

Toxicity to daphnia and other

aquatic invertebrates

: LC50: 220 mg/l Exposure time: 48 h

Species: Daphnia (water flea)

Page 11 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

: LC50: 27 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea)

Toxicity to algae : Note: no data available

Toxicity to bacteria : LC0: 500 mg/l

Species: Pseudomonas putida

: EC50: 2,590 mg/l Exposure time: 40 min Species: activated sludge Method: OECD 209

Elimination information (persistence and degradability)

Bioaccumulation : Note: No bioaccumulation is to be expected (log Pow <= 4).

Biodegradability : Result: Readily biodegradable

Value: 68 %

Method: OECD 301 D

Further information on ecology

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1593

Proper shipping name : DICHLOROMETHANE

Page 12 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Class 6.1
Packing group III
Hazard Labels 6.1

IATA UN/ID No. : UN 1593

Description of the goods : DICHLOROMETHANE

Class : 6.1
Packaging group : III
Hazard Labels : 6.1
Packing instruction (cargo : 663

aircraft)

Packing instruction : 655

(passenger aircraft)

Packing instruction : Y642

(passenger aircraft)

IMDG UN/ID No. : UN 1593

Description of the goods : DICHLOROMETHANE

Class : 6.1
Packaging group : III
Hazard Labels : 6.1
EmS Number : F-A, S-A
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic

Substances List (DSL)

: All components of this product are on the Canadian DSL

Page 13 / 16



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand, Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA

Hazardous Substances (40 CFR 302)

: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 1000 lbs

: Dichloromethane 75-09-2

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

: The following components are subject to reporting levels **SARA 313 Components**

established by SARA Title III, Section 313:

: Dichloromethane 75-09-2

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

CERCLA Reportable

Quantity

: 1001 lbs



Dichloromethane

D65100-1L

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

California Prop. 65

WARNING:This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Dichloromethane 75-09-2

Massachusetts RTK : Dichloromethane 75-09-2

New Jersey RTK : Dichloromethane 75-09-2

Pennsylvania RTK : Dichloromethane 75-09-2

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2*	2
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Page 15 / 16



Dichloromethane

D651	00-11	
וטטו	UU-	

Version 1.1 Revision Date 08/23/2018 Print Date 05/22/2019

Previous Issue Date: 10/02/2016

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group