according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015 Page 1 of 7

Aluminum Ammonium Sulfate

SECTION 1: Identification of the substance/mixture and of the supplier

Product name : Aluminum Ammonium Sulfate

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25142

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Skin irritation, category 2 Eye irritation, category 2A

Specific target organ toxicity following single exposure, category 3

Skin corrosion/irritation - Skin Irritation 2 Eye Irritation 2 STOT Single Exposure 3

Signal word :Warning

Hazard statements:

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Wash skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapours/spray

Use only outdoors or in a well-ventilated area

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

If eye irritation persists get medical advice/attention

IF ON SKIN: Wash with soap and water


If skin irritation occurs: Get medical advice/attention


Effective date: 02.11.2015 Page 2 of 7

Aluminum Ammonium Sulfate

Specific treatment (see supplemental first aid instructions on this label)
Take off contaminated clothing and wash before reuse
Store locked up
Dispose of contents and container as instructed in Section 13

Other Non-GHS Classification:







HMIS RATINGS (0-4)

SECTION 3: Composition/information on ingredients

| Ingredients: | | | | |
|--------------------------|----------------------------|-------|--|--|
| CAS 7784-26-1 | Aluminium Ammonium Sulfate | 100 % | | |
| Percentages are by weigh | | | | |

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye.Rinse/flush exposed eye(s) gently using water for 15-20 minutes.Remove contact lens(es) if able to do so during rinsing.Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation- all routes of exposure. Headache. Nausea. Shortness of breath.; May cause liver damage

Indication of any immediate medical attention and special treatment needed:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015 Page 3 of 7

Aluminum Ammonium Sulfate

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear protective eyeware, gloves, and clothing. Refer to Section 8.Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.Always obey local regulations. Containerize for disposal. Refer to Section 13.If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection





Control Parameters: 7784-26-1, Aluminum ammonium sulfate, ACGIH TLV TWA: 2mg/m3

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015 Page 4 of 7

Aluminum Ammonium Sulfate

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

SECTION 9: Physical and chemical properties

| Appearance (physical state,color): | White solid | Explosion limit lower: Explosion limit upper: | Not determined Not determined |
|------------------------------------|----------------|--|---|
| Odor: | Odorless | Vapor pressure: | Not determined |
| Odor threshold: | Not determined | Vapor density: | Not determined |
| pH-value: | Not determined | Relative density: | Not determined |
| Melting/Freezing point: | 202 F | Solubilities: | 150g/L |
| Boiling point/Boiling range: | 248 F | Partition coefficient (noctanol/water): | Not determined |
| Flash point (closed cup): | Not determined | Auto/Self-ignition temperature: | Not determined |
| Evaporation rate: | Not determined | Decomposition temperature: | Not determined |
| Flammability (solid,gaseous): | Not determined | Viscosity: | a. Kinematic:Not determined b. Dynamic: Not determined |
| Density: Not determined | | | |

Density: Not determined **Specific Gravity**: 1.6

SECTION 10: Stability and reactivity

Reactivity:Nonreactive under normal conditions. **Chemical stability:**Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid:Incompatible materials.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015 Page 5 of 7

Aluminum Ammonium Sulfate

Incompatible materials:

Hazardous decomposition products:

SECTION 11: Toxicological information

| Acute Toxicity: No additional information. | | | |
|--|----------------------------|--|--|
| Chronic Toxicity: No additional information. | | | |
| Corrosion Irritation: No additional information. | | | |
| Sensitization: | No additional information. | | |
| Single Target Organ (STOT): | No additional information. | | |
| Numerical Measures: | No additional information. | | |
| Carcinogenicity: | No additional information. | | |
| Mutagenicity: | No additional information. | | |
| Reproductive Toxicity: | No additional information. | | |

SECTION 12: Ecological information

Ecotoxicity Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es)
Packing group:Not Regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15: Regulatory information

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015 Page 6 of 7

Aluminum Ammonium Sulfate

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user.The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.The information contained herein is, to the best of our knowledge and belief, accurate.However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 02.11.2015 Page 7 of 7

Aluminum Ammonium Sulfate

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

Effective date : 02.11.2015 **Last updated** : 03.19.2015