

SAFETY DATA SHEET

Be Right[™]

Issue Date 05-May-2021	Revision Date 26-Jan-2024	Version 4.2	Page	1 / 16
	1. IDENTIFICAT	ION		
Product identifier Product Name	EDTA Tetrasodium Salt 0.800 \pm 0	.004 M		
Other means of identification Product Code(s)	1439901			
Safety data sheet number	M00449			
Recommended use of the chemical and restrictions on useRecommended UseLaboratory reagent. Hardness determination. Standard solution.Uses advised againstConsumer use.Restrictions on useFor Laboratory Use Only.				
Details of the supplier of the safety data sheet				
Manufacturer Address				

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eve damage/eve irritation	Category 1

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Signal word Danger



Hazard statements H318 - Causes serious eye damage

Precautionary statements

P280 - Wear protective gloves, protective clothing, eye protection, and face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

Other Hazards Known

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical Family	Mixture.
Chemical nature	aqueous solution.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Tetrasodium EDTA	64-02-8	20 - 30%	-
Formaldehyde	50-00-0	<0.1%	-
Methanol	67-56-1	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Product Code(s) 1439901 Issue Date 05-May-2021 Version 4.2	Product Name EDTA Tetrasodium Salt 0.800 ± 0.004 M Revision Date 26-Jan-2024 Page 3 / 16
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
	6. ACCIDENTAL RELEASE MEASURES
U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods and material for containme	nt and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.		
Flammability class	Not applicable		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV OSHA PEL		NIOSH	
Formaldehyde	dermal sensitizer;respiratory	TWA: 0.75 ppm	IDLH: 20 ppm	
CAS#: 50-00-0	sensitizer	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min	
	STEL: 0.3 ppm	(vacated) STEL: 10 ppm	TWA: 0.016 ppm	
	TWA: 0.1 ppm	(vacated) Ceiling: 5 ppm		
		STEL: 2 ppm		
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm	
CAS#: 67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm	
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³	
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm	
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³	
		(vacated) STEL: 325 mg/m ³		
		(vacated) SKN*		

Appropriate engineering controls **Engineering Controls** Showers Eyewash stations

Ventilation systems.

Individual protection measures, suc	h as personal protective equipment
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear breathing apparatus if exposed to vapors/dusts/aerosols.
Hand Protection	Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	aqueous solution Odorless	Liquid		Color Odor threshold	colorless No data available	
Property_			Values		<u>Rema</u>	rks • Method
Molecular weigh	t		No data availa	ble		
рН			10.2		@ 20	°C
EN / AGHS						Page

Melting point / freezing point	-14 °C / 6.8 °F
Initial boiling point and boiling range	104 °C / 219.2 °F
Evaporation rate	0.98 (water = 1)
Vapor pressure	23.027 mm Hg $$ / $$ 3.07 kPa $$ at $$ 25 °C $$ / $$ 77 °F $$
Relative vapor density	0.6
Specific gravity - VALUE 1	1.160
Partition coefficient	Not applicable
Soil Organic Carbon-Water Partition Coefficient	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	~ 1 cP (mPa s) at 20 °C / 68 °F
Kinematic viscosity	$\sim 0.862 \ cSt \ (mm^2/s) \ at \ 20 \ ^cC \ / \ 68 \ ^cF$

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Tetrasodium EDTA	64-02-8	No data available	-
Formaldehyde	50-00-0	No data available	Х
Methanol	67-56-1	100%	Х

Explosive properties

Upper explosion limit Lower explosion limit

No data available No data available

Flammable properties

Flash point

Flammability Limit in Air Upper flammability limit: Lower flammability limit:

Oxidizing properties

Bulk density

Product NameEDTA Tetrasodium Salt 0.800 ± 0.004 MRevision Date26-Jan-2024Page6 / 16

No data available

No data available No data available

No data available.

No data available

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of hazardous reactions None under normal processing.

<u>Hazardous polymerization</u> None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Nitrogen oxides. Sodium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	No known effect based on information supplied.
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	May cause irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Redness. Burning. May cause blindness.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Tetrasodium EDTA (20 - 30%) CAS#: 64-02-8	Rat LD50	1658 mg/kg	None reported	None reported	ERMA
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD50	100 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS

Inhalation (Dust/Mist) Exposure Route

Chemical	l name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formalde (<0.1 CAS#: 50	%)	Rat LC₅₀	0.578 mg/L	4 hours	None reported	LOLI

Inhalation (Vapor) Exposure Route

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

	Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data	
--	---------------	-------------	---------	------------------	------------------	---------	--	--

Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS
	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method		None reported	20 hours	Not corrosive or irritating to skin	ECHA

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	OECD Test 439: In Vitro Skin Irritation: Reconstructed Human Epidermis (Rhe) Test Method		0.05 mL	24 hours	Not corrosive or irritating to eyes	ECHA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA
Methanol (<0.1%) CAS#: 67-56-1	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	ECHA

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%)	IgE Specific Immune Response	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD
CAS#: 50-00-0	Test			

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LDւ₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS
Methanol (<0.1%) CAS#: 67-56-1	Human LD⊾	143 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Human TC⊾₀	300 mg/L	None reported	Lungs, Thorax, or Respiration Other changes	RTECS

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	Monkey	2340 mg/kg	3 days	None reported	ECHA

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS

Carcinogenicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Tetrasodium EDTA	64-02-8	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Methanol	67-56-1	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro Data

No data available.

Substance invitro Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methanol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo Data

No data available.

Substance invivo Data

Test data reported below.

Oral Exposure Route

С	hemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
(Methanol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%)	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS

CAS#: 50-00-0

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methanol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TDLo			Specific Developmental	
CAS#: 67-56-1				Abnormalities	
				Ear	
				Eye	
				Fetotoxicity (except death e.g.	
				stunted fetus)	
				Urogenital System	

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methanol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS
(<0.1%)	TCLO			Fetotoxicity (except death e.g.	
CAS#: 67-56-1				stunted fetus)	

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%)	Rat TC⊾₀	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g.	RTECS
CAS#: 50-00-0				stunted fetus)	

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

<u>Mixture</u>

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

Substance

Aquatic Acute Toxicity

EN / AGHS

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC ₅₀	6.7 mg/L	PEEN

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Mixture No data available.

Mixture No data available.

Partition coefficient

<u>Mobility</u>

Soil Organic Carbon-Water Partition Coefficient

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Not applicable

Not applicable

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number U122 U154

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		
Methanol	-	Included in waste stream:	-	U154
67-56-1		F039		

Special instructions for disposal

Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Check with national,

local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

	14. TRANSPORT INFORMATION	
DOT	Not regulated	
TDG	Not regulated	
IATA	Not regulated	
IMDG	Not regulated	
Note:	No special precautions necessary.	
Additional information		

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

Complies
Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Methanol (CAS #: 67-56-1)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No

Reactive Hazard

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Methanol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methanol (CAS #: 67-56-1)	Developmental



WARNING: This product can expose you to chemicals including Formaldehyde, Methanol, which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to http://www.P65Warnings.ca.gov

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde 50-00-0	Х	X	Х
Methanol 67-56-1	Х	X	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Tetrasodium EDTA	180.0910	-
Methanol	180.0910	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Formaldehyde	Prohibited Substance (FI)	0.1 %
50-00-0	Prohibited Substance (LR)	
	Declarable Substance (LR)	
	Declarable Substance (FI)	
Methanol	Declarable Substance (FI)	0.6 %
67-56-1	Declarable Substance (LR)	
	Prohibited Substance (FI)	
	Prohibited Substance (LR)	

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection -
				Х
				- 1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
FFA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealands Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident
	Insurance)
HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)

RTECSRTECS (Registry of Toxic Effects of Chemical Substances)SIDSSIDS (Screening Information Dataset) for High Volume ChemicalsSYKEThe Finnish Environment Institute (SYKE)USDAUSDA (United States Department of Agriculture)USDCUSDC (United States Department of Commerce)WHOWHO (World Health Organization)					
Legend - Section	on 8: EXPOSURE C	ONTROLS/PERSONAL F	ROTECTION		
TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)	
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value	
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.	
SKN* RSP+ C M	Skin designation Respiratory sensi Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant	
Prepared By Hach Product Compli		Hach Product Complian	ce Department		
Issue Date 05-May-2021		05-May-2021			
Revision Date		26-Jan-2024			
Revision Note None		None			
Disalaiman					

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2023

End of Safety Data Sheet