

#5 CAB4

J.T. BAKER COMPANY -- LEAD OXIDE (LITHARGE), 4995 -- 6810-00N027504
<pre>===== Product Identification =====

Product ID:LEAD OXIDE (LITHARGE), 4995

MSDS Date:09/14/1989

FSC:6810

NIIN:00N027504

=== Responsible Party ===

Company Name:J.T. BAKER COMPANY

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:201-859-2151

Emergency Phone Num:201-859-2151

CAGE:70829

=== Contractor Identification ===

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

===== Composition/Information on Ingredients =====

Ingred Name:LEAD MONOXIDE; (LITHARGE) (LEAD OXIDE) (LIMITS ARE GIVEN AS
LEAD, INORGANIC DUST/FUMES)

CAS:1317-36-8

RTECS #:OG1750000

Fraction by Wt: 98-100%

OSHA PEL:0.05 MG/M3 (MFR)

ACGIH TLV:0.15 MG/M3 (MFR)

===== Hazards Identification =====

LD50 LC50 Mixture:LD50:(IPR RAT) 430 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHAL:IRRITATION OF UPPER
RESPIRATORY TRACT. SKIN/EYE:IRRITATION. INGEST:HEADACHE, NAUSEA,
VOMITING, GASTROINTESTINAL IRRITATION, CONVULSIONS, UNCONSCIOUSNESS
& MAY BE FATAL. CHRONIC: ANEMIA, K IDNEY DAMAGE, BLURRED VISION,
LEAD BUILD-UP IN THE CENTRAL NERVOUS SYSTEM. TARGET ORGANS:GI
TRACT, (EFTS OF OVEREXP)

Explanation of Carcinogenicity:LEAD & PB COMPOUNDS: GROUP 2B (IARC)

Effects of Overexposure:HLTH HAZ:CENTRAL NERVOUS SYSTEM, GINGIVAL
TISSUE, KIDNEYS & BLOOD. THIS PRODUCT IS KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Medical Cond Aggravated by Exposure:NONE IDENTIFIED.

===== First Aid Measures =====

First Aid:INGEST:CALL MD! IF SWALLOWED, IF CONSCIOUS, IMMEDIATELY
INDUCE VOMITING. INHAL:REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE
ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
SKIN:FLUSH W/ WATER. EYE:IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT

LEAST 15 MINS.

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:NOT APPLICABLE.
Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING
FIRE.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:TOXIC GASES PRODUCED.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR NIOSH/MSHA SCBA & FULL PROTECTIVE
CLOTHING. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN,
DRY CONTAINER & COVER. REMOVE FROM AREA. FLUSH SPILL AREA W/WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN SECURE POISON AREA. KEEP
CONTAINER TIGHTLY CLOSED. USE W/ADEQUATE VENTILATION. KEEP AWAY
FROM FOOD, DRINK & ANIMAL FEEDING STUFFS.
Other Precautions:POISON! DANGER! CAUSES IRRITATION. MAY BE FATAL IF
SWALLOWED. EXCEPTIONAL HEALTH HAZARD:READ MSDS. DO NOT GET IN EYES,
ON SKIN OR ON CLOTHING. DO NOT BREATHE DUST. DANGER OF CUMULATIVE
EFFECTS. WHEN U SING DO NOT EAT, DRINK OR SMOKE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENT CONDITIONS
EXIST. IF AIRBORNE CONC EXCEEDS TLV, A NIOSH/MSHA APPROVED
HIGH-EFFICIENCY PARTICULATE RESPIRATOR IS RECOM. IF CONC EXCEEDS
CAPACITY OF RESPIRATOR, A NIOSH /MSHA APPROVED SCBA IS ADVISED.
Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV
REQUIREMENTS.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:UNIFORM & APRON ARE RECOMMENDED. LAB
PROTECTIVE EQUIPMENT:LAB COAT & VENT HOOD.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC:T4
Melt/Freeze Pt:M.P/F.P Text:1630F,888C
Spec Gravity:9.53 (H*20=1)
Evaporation Rate & Reference:NOT APPLICABLE.
Solubility in Water:NEGLIGIBLE (<0.1%)
Appearance and Odor:YELLOW TO RED POWDER; ODORLESS.
Percent Volatiles by Volume:0 @21C

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG REDUCING AGENTS, COMBUSTIBLE MATERIAL, CHEMICALLY ACTIVE METALS,
ALUMINUM & SODIUM.

Stability Condition to Avoid:HEAT.
Hazardous Decomposition Products:LEAD FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/ALL APPLICABLE FEDERAL,
STATE & LOCAL ENVIRONMENTAL REGULATIONS. EPA WASTE #D008.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.

