

SAFETY DATA SHEET

Creation Date 28-Jan-2010 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name Buffer Solution, pH 10.00, Color-Coded Blue

Cat No.: SB115-4, SB115-20, SB115-500

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component CAS No Weight %

Water	7732-18-5	97.8
Ethylenediaminetetraacetic acid, disodium salt	6381-92-6	1.0
dihydrate		
Potassium carbonate	584-08-7	0.6
Boron potassium oxide (B4K2O7)	1332-77-0	0.4
Potassium hydroxide	1310-58-3	0.2

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash PointNo information availableMethod -No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
0	0	0	N/A

6. Accidental release measures

Personal PrecautionsUse personal protective equipment as required. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal.

Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Storage.

Materials. None known.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Boron potassium oxide	TWA: 2 mg/m ³			
(B4K2O7)	STEL: 6 mg/m ³			
Potassium hydroxide	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eveglasses or chemical safety googles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

No protective equipment is needed under normal use conditions. **Respiratory Protection**

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Liquid **Physical State Appearance** Blue Odorless Odor

No information available **Odor Threshold**

10.0

pН 0 °C / 32 °F **Melting Point/Range** Boiling Point/Range 100 °C / 212 °F Flash Point No information available > 1 (Water = 1.0)**Evaporation Rate** Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity** 1.013 @ 25°C

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available **Decomposition Temperature** No information available

Viscosity No information available

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Excess heat.

Incompatible Materials None known

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product InformationNo acute toxicity information is available for this product

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

Component	Component LD50 Oral		LC50 Inhalation
Water	-	-	-
Potassium carbonate	> 2000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 > 4.96 mg/L (Rat) 4.5 h
Boron potassium oxide (B4K2O7)	Not listed	LD50 > 2000 mg/kg (Rabbit)	LC50 > 2.04 mg/L (Rat) 4 h
Potassium hydroxide	Potassium hydroxide LD50 = 333-384 mg/kg (Rat)		Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Ethylenediaminetetraa cetic acid, disodium salt dihydrate	6381-92-6	Not listed				
Potassium carbonate	584-08-7	Not listed				
Boron potassium oxide (B4K2O7)	1332-77-0	Not listed				
Potassium hydroxide	1310-58-3	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

Buffer Solution, pH 10.00, Color-Coded Blue

STOT - single exposure None known
STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium carbonate	Not listed	LC50 <510 mg/L/96h	Not listed	LC50: = 630 mg/L, 48h
		(Pimephales promelas)		(Ceriodaphnia dubia)

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Mobility .

Component	log Pow
Potassium hydroxide	0.83

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT TDG IATA	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	-	-	-
Potassium carbonate	584-08-7	X	ACTIVE	-
Boron potassium oxide (B4K2O7)	1332-77-0	X	ACTIVE	-
Potassium hydroxide	1310-58-3	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	Х	-	-	Х	-		Х	Х	-
Potassium carbonate	584-08-7	Χ	-	209-529-3	Χ	Χ	Χ	Х	Χ	KE-29083
Boron potassium oxide (B4K2O7)	1332-77-0	Х	-	215-575-5	Х	-		Х	Х	KE-12187
Potassium hydroxide	1310-58-3	Х	-	215-181-3	Χ	Χ	Χ	Х	Х	KE-29139

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

	Component	CWA - Hazardous CWA - Reportable Substances Quantities		CWA - Toxic Pollutants	CWA - Priority Pollutants
- 1		Oubstances	Quantities		
-	Potassium hydroxide	X	1000 lb	-	=

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Potassium hydroxide	1000 lb	-	

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	•	X	-	-
Boron potassium oxide (B4K2O7)	-	Х	-	-	1
Potassium hydroxide	X	X	X	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Boron potassium oxide (B4K2O7)	-	Use restricted. See item 75. (see link for restriction details)	-
Potassium hydroxide	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	Not applicable	Not applicable	Not applicable	Not applicable
Potassium carbonate	584-08-7	Listed	Not applicable	Not applicable	Not applicable
Boron potassium oxide (B4K2O7)	1332-77-0	Not applicable	Not applicable	Not applicable	Not applicable
Potassium hydroxide	1310-58-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities Qualifying Quantities			
		for Major Accident Notification	for Safety Report Requirements		
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Ethylenediaminetetraacetic acid, disodium salt dihydrate	6381-92-6	Not applicable	Not applicable	Not applicable	Not applicable
Potassium carbonate	584-08-7	Not applicable	Not applicable	Not applicable	Not applicable
Boron potassium oxide (B4K2O7)	1332-77-0	Not applicable	Not applicable	Not applicable	Not applicable
Potassium hydroxide	1310-58-3	Not applicable	Not applicable	Not applicable	Annex I - Y35

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 28-Jan-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS