

ATTN: SAFETY DIRECTOR GRETCHEN MARIE RAPP STOUP PROSAR SUITE 335 1295 BANDANA BLVD ST PAUL MN 55108

EMERGENCY PHONE 1-314-771-5765 DATE 08/27/01 CUST#: 9-045-99999 PO#:

1

MATERIAL SAFETY DATA SHEET PAGE 180-8 THIS MSDS IS FOR A COMPONENT OF CATALOG #: - - - CHEMICAL IDENTIFICATION- - -CATALOG #: ETHYL ALCOHOL 200 PROOF USP NAME: SECTION 2. - - - - COMPOSITION/INFORMATION ON INGREDIENTS - -CAS #: MF: C2H6O EC NO: 2 64-17-5 200-578-6 NONYMS
ABSOLUTE ETHANOL * AETHANOL (GERMAN) * AETHYLALKOHOL (GERMAN) *
ALCOHOL * ALCOHOL, ANHYDROUS * ALCOHOL DEHYDRATED * ALCOOL ETHYLIQUE
(FRENCH) * ALCOOL ETILICO (ITALIAN) * ALGRAIN * ALKOHOL (GERMAN) *
ALKOHOLU ETYLOWEGO (POLISH) * ANHYDROL * COLOGNE SPIRIT * ETANOLO
(ITALIAN) * ETHANOL (ACGIH:OSHA) * ETHYL ALCOHOL (DOT:OSHA) * ETHYL
ALCOHOL ANHYDROUS * ETHYL HYDRATE * ETHYL HYDROXIDE * ETYLOWY ALKOHOL
(POLISH) * FERMENTATION ALCOHOL * GRAIN ALCOHOL * JAYSOL * JAYSOL S *
METHYLCARBINOL * MOLASSES ALCOHOL * NCI-C03134 * POTATO ALCOHOL * SD
ALCOHOL 23-HYDROGEN * SPIRITS OF WINE * SPIRT * TECSOL * SYNONYMS SECTION 3. - - - - - - - HAZARDS IDENTIFICATION - - -LABEL PRECAUTIONARY STATEMENTS FLAMMABLE (USA) HIGHLY FLAMMABLE (EU) IRRITANT IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. TARGET ORGAN(S): NERVES KEEP CONTAINER TIGHTLY CLOSED.
KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.
WEAR SUITABLE PROTECTIVE CLOTHING.
HYGROSCOPIC LIVER SECTION 4. - - - - - - - FIRST-AID MEASURES- - - -IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER. IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF

We are Committed to the Success of our Customers through Science, Technology and Service.

CONTINUED ON NEXT PAGE











799



CUST#: 9-045-99999

2

MATERIAL SAFETY DATA SHEET PAGE THIS MSDS IS FOR A COMPONENT OF CATALOG #: 180-8 CATALOG #: NAME: ETHYL ALCOHOL 200 PROOF USP WATER FOR AT LEAST 15 MINUTES. SECTION 5. - - - - - - FIRE FIGHTING MEASURES - - - -EXTINGUISHING MEDIA WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. SPECIAL FIREFIGHTING PROCEDURES
WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO
PREVENT CONTACT WITH SKIN AND EYES.
USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS. UNUSUAL FIRE AND EXPLOSIONS HAZARDS
VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK. CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS. FLAMMABLE LIQUID. EMITS TOXIC FUMES UNDER FIRE CONDITIONS. SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES- - - -WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER BOOTS AND HEAVY RUBBER GLOVES.
COVER WITH DRY-LIME, SAND, OR SODA ASH, PLACE IN COVERED CONTAINERS USING NON-SPARKING TOOLS AND TRANSPORT OUTDOORS.
VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. EVACUATE AREA.
SHUT OFF ALL SOURCES OF IGNITION. SECTION 7. - - - - - - - HANDLING AND STORAGE- - - - -REFER TO SECTION 8. SECTION 8. - - - - - EXPOSURE CONTROLS/PIRSONAL PROTECTION- - - -SAFETY SHOWER AND EYE BATH.
USE NONSPARKING TOOLS.
MECHANICAL EXHAUST REQUIRED.
WASH THOROUGHLY AFTER HANDLING.
WASH CONTAMINATED CLOTHING BEFORE REUSH.
AVOID BREATHING VAPOR.
AVOID CONTACT WITH EYES, SKIN AND CLOTHING.
AVOID PROLONGED OR REPEATED EXPOSURE.
NIOSH/MSHA-APPROVED RESPIRATOR.
COMPATIBLE CHEMICAL-RESISTANT GLOVES.
CHEMICAL SAFETY GOGGLES.
KEEP CONTAINER CLOSED.
KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.
STORE IN A COOL DRY PLACE.
HANDLE AND STORE UNDER NITROGEN. SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - -CONTINUED ON NEXT PAGE



CUST#: 9-045-99999

MATERIAL SAFETY DATA SHEET

3 PAGE

THIS MSDS IS FOR A COMPONENT OF CATALOG #: 180-8

CATALOG #:

NAME:

ETHYL ALCOHOL 200 PROOF USP

PHYSICAL PROPERTIES
BOILING POINT:
MELTING POINT:

78.4 -144

FLASHPOINT

C 60F 15.55C

EXPLOSION LIMITS IN AIR: UPPER

LOWER

19 % 3.3

44.6 MMHG @ 20

VAPOR PRESSURE: SOLUBILITY:

WATĚR -226070SPECIFIC GRAVITY:

0.794

SECTION 10. - - - -- - -STABILITY AND REACTIVITY - -

STABILITY STABLE.

INCOMPATIBILITIES

PROTECT FROM MOISTURE. ALKALI METALS AMMONIA

OXIDIZING AGENTS PEROXIDES

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS CARBON MONOXIDE, CARBON DIOXIDE

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

SECTION 11. - - - - - - TOXICOLOGICAL INFORMATION - -

ACUTE EFFECTS

CAUSES SKIN IRRITATION.
MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.
CAUSES EYE IRRITATION.
MAY BE HARMFUL IF INHALED.
MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER
RESPIRATORY TRACT.
MAY BE HARMFUL IF SWALLOWED.
CAN CAUSE CNS DEPRESSION.
NARCOTIC EFFECT
DAMAGE TO THE HEART
TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.
LC

LD

CHRONIC EFFECTS TARGET ORGAN(S):

NERVES

CONTINUED ON NEXT PAGE

801

We are Committed to the Success of our Customers through Science, Technology and Service.













CUST#: 9-045-99999

```
MATERIAL SAFETY DATA SHEET
                                                                                                                                                                                                                                                                                                             PAGE
THIS MSDS IS FOR A COMPONENT OF CATALOG #:
                                                                                                                                                                                                                 180-8
                CATALOG #:
                                                                                           ETHYL ALCOHOL 2(0 PROOF USP
                NAME:
                HEART
                THIS PRODUCT IS OR CONTAINS A COMPONENT THAT IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY BASED ON ITS 17 RC, ACGIH, NTP OR EPA CLASSIFICATION.
       RTECS #: KQ6300000
ETHYL ALCOHOL
       IRRITATION DATA

SKN-RBT 400 MG OPEN MLD

SKN-RBT 20 MG/24H MOD

EYE-RBT 500 MG SEV

EYE-RBT 500 MG/24H MLD

EYE-RBT 100 MG/4S RINSE MOD

UCDS** 7/22/1970

85JCAE -,189,1986

AJOPAA 29,1363,1946

85JCAE -,189,1986

FCTOD7 20,573,1982
      TOXICITY DATA

ORL-CHD LDLO:2 GM/KG
ORL-HMN LDLO:1400 MG/KG
SCU-INF LDLO:19440 MG/KG
ORL-RAT LD50:7060 MG/KG
IHL-RAT LC50:20000 PPM/10H
IPR-RAT LD50:1440 MG/KG
IVN-RAT LD50:1440 MG/KG
IAT-RAT LD50:11 MG/KG
ORL-MUS LD50:3450 MG/KG
IHL-MUS LC50:39 GM/M3/4H
IPR-MUS LD50:528 MG/KG
SCU-MUS LD50:528 MG/KG
IVN-MUS LD50:6300 MG/KG
IVN-MUS LD50:1973 MG/KG
ORL-RBT LD50:1973 MG/KG
ORL-RBT LD50:963 MG/KG
IPR-RBT LD50:2374 MG/KG
IPR-RBT LD50:2374 MG/KG
IPR-GPG LD50:5560 MG/KG
IPR-GPG LD50:5560 MG/KG
IPR-HAM LD50:5068 MG/KG
IPR-MAM LD50:4300 MG/KG
                                                                                                                                                                                                ATXKA8 17,183,1958
NPIRI* 1,44,1974
AJCPAI 5,466,1935
TXAPA9 16,4718,1970
NPIRI* 1,44,1974
PHMGBN 2,27,1969
TXAPA9 18,600,1971
TXAPA9 18,600,31,1985
GTPZAB 26(3),53,1965
FAONAU 48A,29,1955
FAONAU 48A,29,1955
FAONAU 48A,29,1955
FAONAU 48A,29,1955
EVHPAZ 61,321,1985
EVHPAZ 61,321,1985
TXAPA9 13,358,1968
       TARGET ORGAN DATA

BEHAVIORAL (SLEEP)

BEHAVIORAL (CHANGE IN MOTOR ACTIVITY)

BEHAVIORAL (ATAXIA)

BEHAVIORAL (ANTIPSYCHOTIC)

BEHAVIORAL (HEADACHE)

BEHAVIORAL (CHANGE IN PSYCHOPHYSIOLOGICAL TESTS)

LUNGS, THORAX OR RESPIRATION (CHRONIC PULMONARY EDEMA OR CONGESTION)

LUNGS, THORAX OR RESPIRATION (DYSPNAE)

LUNGS, THORAX OR RESPIRATION (OTHER CLANGES)

GASTROINTESTINAL (ALTERATION IN GASTRIC SECRETION)

GASTROINTESTINAL (HYPERMOTILITY, DIARLHEA)

GASTROINTESTINAL (NAUSEA OR VOMÍTING)

GASTROINTESTINAL (OTHER CHANGES)

LIVER (FATTY LIVER DEGENERATION)
```

CONTINUED (N NEXT PAGE



CUST#: 9-045-99999 MATERIAL SAFETY DATA SHEET PAGE 5 THIS MSDS IS FOR A COMPONENT OF CATALOG #: 180 - 8CATALOG #: ETHYL ALCOHOL 200 PROOF USP NAME: LIVER (TUMORS) NE (CHANGE IN GONADOTROPINS) NE (OTHER CHANGES) OTHER CHANGES) ENDOCRÍNE ENDOCRÍNE (OTHER CHANGES)

(LYMPHOMA INCLUDING HODGKIN'S DISEASE)

[AL EFFECTS (TESTES, EPIDIDYMIS, SPERM DUCT)

'S ON FERTILITY (FEMALE FERTILITY INDEX)

'S ON FERTILITY (MALE FERTILITY INDEX)

'S ON FERTILITY (POST-IMPLANTATION MORTALITY)

'S ON FERTILITY (OTHER MEASURES OF FERTILITY)

'S ON EMBRYO OR FETUS (EXTRA EMBRYONIC STRUCTURES)

'S ON EMBRYO OR FETUS (CYTOLOGICAL CHANGES)

'S ON EMBRYO OR FETUS (FETOTOXICITY)

'S ON EMBRYO OR FETUS (FETAL DEATH)

'S ON EMBRYO OR FETUS (FETAL DEATH)

'S ON EMBRYO OR FETUS (OTHER EFFECTS TO EMBYRO OR FETUS)

'IC DEVELOPMENTAL ABNORMALITIES (EYE, EAR)

'IC DEVELOPMENTAL ABNORMALITIES (CRANIOFACIAL)

'IC DEVELOPMENTAL ABNORMALITIES (RESPIRATORY SYSTEM)

'S ON NEWBORN (GROWTH STATISTICS) BLOOD BLÖÖD PATERNAL PATERNAL EFFECTS EFFECTS EFFFECTS EFFFECTS EFFFECTS EFFFECTS EFFECTS EFFECTS SPECIFIC SPECIFIC SPECIFIC SPECIFIC SPECIFIC DEVELOPMENTAL ABNORMALITIES (CRANIOFACIAL)
SPECIFIC DEVELOPMENTAL ABNORMALITIES (MUSCULOSKELETAL SYSTEM)
SPECIFIC DEVELOPMENTAL ABNORMALITIES (RESPIRATORY SYSTEM)
EFFECTS ON NEWBORN (GROWTH STATISTICS)
TUMORIGENIC (EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA)
ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION. SECTION 12. - - - - - - ECOLOGICAL INFORMATION - - -DATA NOT YET AVAILABLE. SECTION 13. - - - - - - - DISPOSAL CONSIDERATIONS - - -CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. SECTION 14. - - - - - - - - TRANSPORT INFORMATION - - - - - - -CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION. SECTION 15. - - - - - - REGULATORY INFORMATION - -EUROPEAN INFORMATION EC INDEX NO: 60 HIGHLY FLAMMABLE 603-002-00-5 IRRITANT HIGHLY FLAMMABLE. KEEP CONTAINER TIGHTLY CLOSED.

We are Committed to the Success of our Customers through Science, Technology and Service.

CONTINUED ON NEXT PAGE











803



CUST#: 9-045-99999

MATERIAL SAFETY DATA SHEET PAGE 6

THIS MSDS IS FOR A COMPONENT OF CATALOG #: 180-8

CATALOG #: ETHYL ALCOHOL 200 PROOF USP

KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK
ACGIH TLV-NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DTLVS* TLV/BEI, 1999
ACGIH TLV-TWA 1000 PPM DTLVS* TLV/BEI, 1999
IARC CANCER REVIEW: ANIMAL INADEOUATE EVIDENCE IMEMDT 44,35,1988

ACGIH TLV-NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DTLVS* TLV/BEI,1999
ACGIH TLV-TWA 1000 PPM
IARC CANCER REVIEW: ANIMAL INADEQUATE EVIDENCE IMEMDT 44,35,1988
EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION
FEREAC 54,7740,1989
MSHA STANDARD-AIR: TWA 1000 PPM (1900 MG/M3)
DTLVS* 3,103,1971
OSHA PEL (GEN'INDU): 8H TWA 1000 PPM (1900 MG/M3)
CFRGBR 29,1910.1000,1994
OSHA PEL (CONSTRUC): 8H TWA 1000 PPM (1900 MG/M3)
CFRGBR 29,1926.55,1994
OSHA PEL (SHIPYARD): 8H TWA 1000 PPM (1900 MG/M3)
CFRGBR 29,1915.1000,1993
OSHA PEL (SHIPYARD): 8H TWA 1000 PPM (1900 MG/M3)
CFRGBR 41,50-204.50,1994
OEL-AUSTRALIA: TWA 1000 PPM (1900 MG/M3), JAN1993
OEL-AUSTRALIA: TWA 1000 PPM (1900 MG/M3), JAN1999
OEL-BELGIUM: TWA 1000 PPM (1900 MG/M3), JAN1999
OEL-BELGIUM: TWA 1000 PPM (1900 MG/M3), STEL 1250 PPM (2400 MG/M3), JAN1999
OEL-FINLAND: TWA 1000 PPM (1900 MG/M3), VLE 5000 PPM JAN1909
OEL-FRANCE: VME 1000 PPM (1900 MG/M3), VLE 5000 PPM JAN1909 OEL-FRANCE: VME 1000 PPM (1900 MG/M3), VLE 5000 PPM, JAN1999
OEL-GERMANY: MAK 1000 PPM (1900 MG/M3), JAN1999
OEL-HUNGARY: TWA 1000 MG/M3, STEL 3000 MG/M3, JAN1993
OEL-THE NETHERLANDS: MAC-TGG 500 PPM (950 MG/M3), JAN1999
OEL-NORWAY: TWA 500 PPM (950 MG/M3), JAN1999
OEL-POLAND: MAC(TWA) 1000 MG/M3, MAC(STEL) 3000 MG/M3, JAN1999
OEL-POLAND: MAC(TWA) 1000 MG/M3, MAC(STEL) 3000 MG/M3, JAN1999
OEL-SWEDEN: NGV 500 PPM (1000 MG/M3), KTV 1000PPM (1900 MG/M3), JAN1999
OEL-SWEDEN: NGV 500 PPM (1000 MG/M3), JAN1999
OEL-SWITZERLAND: MAK-W 1000 PPM (1900 MG/M3), JAN1999
OEL-THAILAND: TWA 1000 PPM (1900 MG/M3), JAN1993
OEL-TURKEY: TWA 1000 PPM (1900 MG/M3), JAN1999
OEL-TURKEY: TWA 1000 PM 1014002 EPA GENETOX PROGRAM 1988, POSITIVE: RODENT DOMINANT LETHAL EPA GENETOX PROGRAM 1988, NEGATIVE: ASPERGILLUS-FORWARD MUTATION; SHE-CLONAL ASSAY
EPA GENETOX PROGRAM 1988, NEGATIVE: ASPERGILLUS-FORWARD MUTATION;
SHE-CLONAL ASSAY
EPA GENETOX PROGRAM 1988, NEGATIVE: CELL TRANSFORM.-RLV F344 RAT EMBRYO
EPA GENETOX PROGRAM 1988, NEGATIVE: IN VITRO CYTOGENETICS-NONHUMAN;
MAMMALIAN MICRONUCLEUS
EPA GENETOX PROGRAM 1988, NEGATIVE: N CRASSA-ANEUPLOIDY; HISTIDINE

CONTINUED ON NEXT PAGE



CUST#: 9-045-99999

MATERIAL SAFETY DATA SHEET

PAGE 7

THIS MSDS IS FOR A COMPONENT OF CATALOG #: 180-8

CATALOG #: NAME:

ETHYL ALCOHOL 200 PROOF USP

REVERSION-AMES TEST
EPA GENETOX PROGRAM 1988, NEGATIVE: IN VITRO SCE-HUMAN LYMPHOCYTES; IN VITRO SCE-HUMAN
EPA GENETOX PROGRAM 1988, NEGATIVE: IN VITRO SCE-NONHUMAN; SPERM MORPHOLOGY-MOUSE
EPA GENETOX PROGRAM 1988, NEGATIVE/LIMITED: CARCINOGENICITY-MOUSE/RAT EPA TSCA SECTION 8(B) CHEMICAL INVENTORY
EPA TSCA SECTION 8(D) UNPUBLISHED HEALTH/SAFETY STUDIES
EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JANUARY 2001
NIOSH ANALYTICAL METHOD, 1994: ETHANOL IN BLOOD, 8002
NIOSH ANALYTICAL METHOD, 1994: ALCOHOLS I, 1400
NTP CARCINOGENESIS STUDIES; ON TEST (TWO YEAR STUDIES), OCTOBER 2000

SECTION 16. - - - - - - - OTHER INFORMATION - - - - - - - - -

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 1999 SIGMA-ALDRICH CO. LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

MATERIAL WAS SHIPPED TO THIS ADDRESS:
GRETCHEN MARIE RAPP STOUP
PROSAR
SUITE 335
1295 BANDANA BLVD
ST PAUL MN 55108

805









