



CHLOROFORM-D (D, 99.8%)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 29/11/2010

Revision date: 05/04/2021

Supersedes: 14/11/2019

Version: 4.3

DLM-7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Substance name	: CHLOROFORM-D (D, 99.8%)
EC Index-No.	: 602-006-00-4 (Unlabeled)
EC-No.	: 212-742-4
CAS-No.	: 865-49-6
Product code	: DLM-7
Formula	: CDCl_3
Synonyms	: Deuteriochloroform / Trichloromethane / Methylidyne trichloride
Other means of identification	: Also applicable to: DLM-7-S (D, 99.8%) + SILVER FOIL DLM-7-MS (D, 99.8%) + MOLECULAR SIEVES DLM-7-ED (D, 99.8%) "EXTRA DRY" DLM-7-ED-S (D, 99.8%) "EXTRA DRY" + SILVER FOIL DLM-7-LR (D, 99.7%)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cambridge Isotope Laboratories, Inc.
50 Frontage Road
Andover, MA 01810
USA
USA: 1-800-322-1174 Int: 1-978-749-8000
cilsales@isotope.com www.isotope.com

Emergency telephone number

Emergency numbers:

Chemtrec: 1-800-424-9300 (24 hours)
International: 1-703-741-5970 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral)	H302
Acute Tox. 3 (Inhalation)	H331
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Carc. 2	H351
Repr. 2	H361
STOT SE 3	H336
STOT RE 1	H372

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40
T; R23
Xi; R36/38
Xn; R22
Repr.Cat.3; R62
Repr.Cat.3; R63

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

T; R48/23

R67

Full text of R-phrases: see section 16

GHS-US classification

Acute Tox. 4 (Oral) H302

Acute Tox. 3 (Inhalation) H331

Skin Irrit. 2 H315

Eye Irrit. 2A H319

Carc. 2 H351

Repr. 2 H361

STOT SE 3 H336

STOT RE 1 H372

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Central nervous system, Blood, Liver, Cardiovascular system, Kidney. Suspected of causing cancer (if inhaled, if swallowed, in contact with skin). Suspected of damaging fertility, Suspected of damaging the unborn child. (if inhaled, if swallowed, in contact with skin). Causes damage to organs (central nervous system, blood, liver, cardiovascular system, kidneys) through prolonged or repeated exposure (if inhaled, if swallowed, in contact with skin). May cause drowsiness or dizziness. Toxic if inhaled. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H302 - Harmful if swallowed
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H336 - May cause drowsiness or dizziness
H351 - Suspected of causing cancer (in contact with skin, if inhaled, if swallowed)
H361 - Suspected of damaging fertility, Suspected of damaging the unborn child. (in contact with skin, if inhaled, if swallowed)
H372 - Causes damage to organs (central nervous system, kidneys, liver) through prolonged or repeated exposure (in contact with skin, if inhaled, if swallowed)

Precautionary statements (CLP)

: P260 - Do not breathe dust, fume, gas, mist, spray, vapors.
P264 - Wash Both hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective clothing, protective gloves.
P301+P312 - IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H302 - Harmful if swallowed
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H336 - May cause drowsiness or dizziness
H351 - Suspected of causing cancer (Dermal, Inhalation, oral)
H361 - Suspected of damaging fertility or the unborn child
H372 - Causes damage to organs (central nervous system, kidneys, liver) through prolonged or repeated exposure (Inhalation, oral, Dermal)

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS-US)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust, fume, gas, mist, spray, vapors. P261 - Avoid breathing dust, fume, gas, mist, spray, vapors. P264 - Wash Both hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, protective gloves. P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention. P311 - Call a doctor, a POISON CENTER P312 - Call a doctor, a POISON CENTER if you feel unwell P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see Hazard pictograms (CLP) on this label) P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to Comply with applicable regulations
-----------------------------------	--

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Directive 67/548/EEC
CHLOROFORM-D (D, 99.8%)	(CAS-No.) 865-49-6 (EC-No.) 212-742-4 (EC Index-No.) 602-006-00-4 (Unlabeled)	100	Carc.Cat.3; R40 T; R23 Xi; R36/38 Xn; R22 Repr.Cat.3; R62 Repr.Cat.3; R63 T; R48/23 R67
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CHLOROFORM-D (D, 99.8%)	(CAS-No.) 865-49-6 (EC-No.) 212-742-4 (EC Index-No.) 602-006-00-4 (Unlabeled)	100	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 Repr. 2, H361 STOT SE 3, H336 STOT RE 1, H372

Full text of R- and H- phrases: see section 16

Name	Product identifier	%	GHS-US classification
CHLOROFORM-D (D, 99.8%) (Main constituent)	(CAS-No.) 865-49-6	100	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Carc. 2, H351 Repr. 2, H361 STOT SE 3, H336 STOT RE 1, H372

Full text of H-phrases: see section 16

3.2. Mixtures

Not applicable

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Evacuate danger area. If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air. If not breathing, give artificial respiration. Get immediate medical advice/attention. Call a doctor.
- First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : May cause drowsiness or dizziness.
- Symptoms/effects after inhalation : Toxic if inhaled. Respiratory tract irritation.
- Symptoms/effects after skin contact : Harmful in contact with skin. Causes skin irritation.
- Symptoms/effects after eye contact : Causes serious eye irritation.
- Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

- Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Wear self-contained breathing apparatus, rubber boots and thick rubber gloves. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Use personal protective equipment as required. Ensure adequate air ventilation. Evacuate unnecessary personnel. Do not breathe dust, fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Keep in suitable, closed containers for disposal.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Avoid all eye and skin contact and do not breathe vapor and mist. Keep away from sources of ignition - No smoking.

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust, fume, gas, spray, vapors, mist. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store tightly closed in a dry and cool place. Containers which are opened should be properly resealed and kept upright to prevent leakage.
- Storage conditions : Store refrigerated (-5 °C to 5 °C). Protect from light.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CHLOROFORM-D (D, 99.8%) (865-49-6)		
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	10.00000000 ppm Basis: USA. ACGIH Threshold Limit Values (TLV)
Italy - Portugal - USA ACGIH	Remark (ACGIH)	Central Nervous system impairment. Liver damage. Embryo/fetal damage. Confirmed animal carcinogen with unknown relevance to humans.
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	9.78 mg/m ³ Basis: USA. NIOSH Recommended Exposure Limits
USA NIOSH	NIOSH REL (STEL) (ppm)	2 ppm Basis: USA. NIOSH Recommended Exposure Limits
USA NIOSH	Remark (NIOSH)	Potential Occupational Carcinogen. See Appendix A.
USA OSHA	OSHA PEL (TWA) (mg/m ³)	9.78 mg/m ³ Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (TWA) (ppm)	2 ppm Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants - 1910.1000
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	240 mg/m ³ Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants.
USA OSHA	OSHA PEL (Ceiling) (ppm)	50 ppm Basis: USA. Occupational Exposure Limits (OSHA) Table Z-1 Limits for Air Contaminants.
USA OSHA	Remark (OSHA)	The value in mg/m ³ is approximate. Ceiling limit is to be determined from breathing-zone air samples. Value: PEL Control Parameters: 2 ppm / 9.78 mg/m ³ Basis: California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2. Exposure controls

- Appropriate engineering controls : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
- Personal protective equipment : Gloves. Protective clothing. Protective goggles. Self-contained breathing apparatus.



- Materials for protective clothing : Wear suitable protective clothing and gloves.
- Hand protection : Wear suitable protective clothing and gloves.
- Eye protection : Wear eye protection. Chemical goggles or face shield with safety glasses.
- Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Approved supplied air respirator.
- Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Appearance	: Liquid
Molecular mass	: 120.38 g/mol (Labeled)
Color	: Clear, colorless
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: -63 °C (-81 °F)
Freezing point	: No data available
Boiling point	: 60.5 - 61.5 °C (140.9 - 142.7 °F)
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 213.3 hPa (160 mmHg) at 20 °C (68 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.5 g/mL at 25 °C (77 °F) (Labeled)
Solubility	: No data available
Log Pow	: 1.97
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Six months after receipt if stored as stated in "Storage" section. Re-QC after six months.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong oxidizing agents. Magnesium. Lithium (Li). Strong bases. Sodium (Na).

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Hydrogen chloride. Phosgene.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Toxic if inhaled.

CHLOROFORM-D (D, 99.8%) (865-49-6)	
LD50 oral rat	908 mg/kg Remarks: Behavioral: Change in motor activity (specific assay). Behavioral: Ataxia. Lungs, Thorax, or Respiration: Respiratory stimulation.
LD50 dermal rabbit	> 20000 mg/kg
ATE CLP (oral)	908.000 mg/kg body weight
ATE CLP (gases)	700.000 ppmV/4h
ATE CLP (vapors)	3.000 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h

Skin corrosion/irritation	: LD50 dermal rabbit - Irritating to skin - 24 Hours
Serious eye damage/irritation	: Eyes - Rabbit - Result: Irritating to eyes - 24 Hours

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Did not cause sensitization
Germ cell mutagenicity	: Based on animal experimentation, it is proved that product has shown mutagenic effects
Carcinogenicity	: Carcinogenicity - Rat - Oral

CHLOROFORM-D (D, 99.8%) (865-49-6)	
Carcinogenicity, oral, rat	Tumorigenic: Carcinogenic by RTECS criteria. Leukemia.
Reproductive toxicity	: Suspected of damaging fertility, Suspected of damaging the unborn child. (in contact with skin, if inhaled, if swallowed).
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.
Specific target organ toxicity – repeated exposure	: Causes damage to organs (central nervous system, kidneys, liver) through prolonged or repeated exposure (in contact with skin, if inhaled, if swallowed).
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Vomiting. Gastrointestinal complaints. Alcohol ingestion increases toxic product effects. stomach.
IARC group	: 2B
Symptoms/effects after inhalation	: Toxic if inhaled. Respiratory tract irritation.
Symptoms/effects after skin contact	: Harmful in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
-------------------	--

CHLOROFORM-D (D, 99.8%) (865-49-6)	
LC50 fish 1	162 mg/l Leuciscus idus (Golden orfe) - 48 h
LC50 other aquatic organisms 1	97 mg/l Other fish - 96 h
EC50 Daphnia 1	79 mg/l Daphnia magna (Water flea) - 24 h
EC50 other aquatic organisms 1	51.6 mg/l Immobilization EC50 - Daphnia magna (Water flea) - 48 h
LC50 fish 2	121 mg/l Danio rerio (Zebra fish) - 96 h
ErC50 (algae)	500 mg/l 24 h
LOEC (acute)	Inhalation - Rat - male - 500 ppm - 6 h
NOEC (chronic)	122 mg/l Oryzias latipes (Japanese rice fish) - 10 d
NOEC chronic fish	24 mg/l Oncorhynchus mykiss (Rainbow trout) - 96 h
NOEC chronic algae	120 mg/l Daphnia magna (Water flea) - 11 d

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

CHLOROFORM-D (D, 99.8%) (865-49-6)	
BCF fish 1	-0.11 mg/l Lepomis macrochirus (Bluegill) - 14 d
Bioconcentration factor (BCF REACH)	6
Log Pow	1.97

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects	: Avoid release to the environment. Disposal must be done according to official regulations. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
-----------------------	---

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Waste materials should be disposed of under conditions which meet Federal, State, and local environmental control regulations.
------------------------------	--

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Product/Packaging disposal recommendations : Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
- Ecology - waste materials : Dispose of as unused product.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

- UN-No.(DOT) : 1888
- DOT NA no. : UN1888

14.2. UN proper shipping name

- Proper Shipping Name (DOT) : Chloroform
- Class (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
- Hazard labels (DOT) : 6.1 - Poison



- Packing group (DOT) : III - Minor Danger
- DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
N36 - Aluminum or aluminum alloy construction materials are permitted only for halogenated hydrocarbons that will not react with aluminum.
T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)
TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.
- DOT Packaging Exceptions (49 CFR 173.xxx) : 153
- DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
- DOT Packaging Bulk (49 CFR 173.xxx) : 241
- DOT RQ : 10 lbs
- Marine pollutant : No

14.3. Additional information


- Emergency Response Guide (ERG) Number : 151
- Other information : No supplementary information available.

Overland transport

- Packing group (ADR) : III
- Class (ADR) : 6.1 - Toxic substances
- Hazard identification number (Kemler No.) : 60
- Classification code (ADR) : T1
- Hazard labels (ADR) : 6.1 - Toxic substances



Orange plates



CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tunnel restriction code (ADR)	: E
Limited quantities (ADR)	5I
EAC	: 2Z
Excepted quantities (ADR)	: E1

Transport by sea

DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
MFAG-No	: 151

Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
Civil Aeronautics Law	: Toxic and infectious substances/Toxic substances

14.4. Environmental hazards

Other information	: No supplementary information available.
-------------------	---

14.5. Special precautions for user

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

CHLOROFORM-D (D, 99.8%) (865-49-6)	
SARA Section 302 Threshold Planning Quantity (TPQ)	Subject to reporting requirements of United States SARA Section 302
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
SARA Section 313 - Emission Reporting	Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

CHLOROFORM-D (D, 99.8%) (865-49-6)	
Listed on the Canadian DSL (Domestic Substances List)	

15.2.1. National regulations

No additional information available

15.3. US State regulations

CHLOROFORM-D (D, 99.8%)(865-49-6)	
U.S. - California - Proposition 65 - Carcinogens List	Yes
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	Yes
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Yes
State or local regulations	U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Other information	: This product is not radioactive. The data given for this product are those of the corresponding unlabeled compound, unless specifically indicated otherwise. Health and safety data for labeled compounds are generally not available, but are assumed to be similar or identical to the corresponding unlabeled compound.
-------------------	--

CHLOROFORM-D (D, 99.8%) DLM-7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 and according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
R22	Harmful if swallowed
R23	Toxic by inhalation
R36/38	Irritating to eyes and skin
R40	Limited evidence of a carcinogenic effect
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R62	Possible risk of impaired fertility
R63	Possible risk of harm to the unborn child
R67	Vapors may cause drowsiness and dizziness
T	Toxic
Xi	Irritant
Xn	Harmful

NFPA health hazard


: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 2 Moderate Hazard - Temporary or minor injury may occur

Flammability

: 0 Minimal Hazard

Physical

: 0 Minimal Hazard

CIL Substance SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product