

**4lfa 4esar** 

Page 1/5 Printing date 11/24/2015 Reviewed on 03/25/2015

#### 1 Identification

Product identifier

Product name: Sodium sticks, in mineral oil

Stock number: 1 13285

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

### 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS02 GHS05

# Signal word Danger

### Hazard-determining components of labeling:

Sodium

Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously.

H314 Causes severe skin burns and eye damage.
Precautionary statements

Handle under inert gas. Protect from moisture. P231+P232

P251+P252
Partial entire liter yas. Frotest from misstare.
Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B6 - Reactive flammable material D2B - Toxic material causing other toxic effects E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 2 Flammability = 2

ACTIVITY 3 Physical Hazard = 3

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Mixtures

Dangerous components:

7440-23-5 Sodium

Additional information None known.

Non-Hazardous Ingredients

8042-47-5 Mineral oil

Water-react. 1, H260; 
 Skin Corr. 1B, H314

# 4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

(Contd. on page 2)

50.0%

50.0%

(Contd. of page 1)

# Product name: Sodium sticks, in mineral oil

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
Reacts violently with water
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Sodium oxide

Advice for firefighters Protective equipment:

Wear self-contained respirator. Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Neep container lightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:

Information about storage in this section of the Store away from water/moisture.
Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

This product is air sensitive.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

8042-47-5 Mineral oil (50.0%)

TLV (USA) Long-term value: 5 mg/m³ Inhalable fraction

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.

(Contd. on page 3)

Page 3/5 Printing date 11/24/2015 Reviewed on 03/25/2015

(Contd. of page 2)

## Product name: Sodium sticks, in mineral oil

Recommended filter device for short term use:

Use a respirator with organic vapor/acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Eye protection:
Tightly sealed goggles
Full face protection:
Protection: Protective work clothing

Body protection: Protective work clothing.

### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Solid in mineral oil Color: Silver grey Not determined Odor: Odor threshold: Not determined

Change in condition

pH-value:

Melting point/Melting range: Not determined Boiling point/Boiling range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature: Not determined

Not determined Contact with water liberates extremely flammable gases.

Not applicable.

115 °C (239 °F) Not determined

Auto igniting: Product is not selfigniting.

Danger of explosion: Explosion limits: Lower: Not determined. Not determined Upper: Not determined Vapor pressure: Density: Not applicable. Not determined Relative density Not determined.

Vapor density Evaporation rate Solubility in / Miscibility with Not applicable. Not applicable. Water Reacts violently

Contact with water releases flammable gases Partition coefficient (n-octanol/water): Not determined.

Viscosity: Not applicable.

dynamic: kinematic: Not applicable.

Solvent content: Organic solvents:

0.0 % 50.0 % Solids content: Other information

No further relevant information available.

## 10 Stability and reactivity

Reactivity
Reacts violently with water.
In contact with water releases flammable gases which may ignite spontaneously.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of bazardous reactions

Possibility of hazardous reactions
Reacts with strong oxidizing agents
Contact with water releases flammable gases

Conduct with water leades infiliable gases Reacts violently with water **Conditions to avoid** No further relevant information available.

Incompatible materials:

Oxidizing agents

Air Water/moisture

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sodium oxide

### 11 Toxicological information

Information on toxicological effects

Acute toxicity:
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

(Contd. on page 4)

# Product name: Sodium sticks, in mineral oil

(Contd. of page 3)

Additional toxicological information:
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive

# 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes: Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

UN-Number DOT, IMDG, IATA	UN1428	
UN proper shipping name DOT IMDG, IATA	Sodium SODIUM	

#### Transport hazard class(es)





4.3 Substances which, in contact with water, emit flammable gases. .abel Class 4.3 (W2) Substances which, in contact with water, emit flammable gases

Label IMDG, IATA



Class 4.3 Substances which, in contact with water, emit flammable gases.
4.3 Label

No

Packing group DOT, IMDG, IATA

Environmental hazards

Marine pollutant (IMDG):

Special precautions for user

Warning: Substances which, in contact with water, emit flammable gases F-G,S-N

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT Marine Pollutant (DOT):

UN "Model Regulation": UN1428, Sodium, 4.3, I

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

### Signal word Danger

# Hazard-determining components of labeling:

Sodium

Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage.

Precautionary statements

Preautionary statements
P231+P232 Handle under inert gas. Protect from moisture.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 P501

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

(Contd. on page 5)

# Product name: Sodium sticks, in mineral oil

All components of this product are listed on the Canadian Domestic Substances List (DSL).

(Contd. of page 4)

50.0%

SARA Section 313 (specific toxic chemical listings)

7440-23-5 Sodium

California Proposition 65

Prop 65 - Chemicals known to cause cancer

None of the ingredients are listed.

Prop 65 - Developmental toxicity

None of the ingredients are listed.

Prop 65 - Developmental toxicity, female

None of the ingredients are listed.

Prop 65 - Developmental toxicity, male

None of the ingredients are listed

Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

None of the ingredients are listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

None of the ingredients is listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods by Road) DT: US Department of Transportation

ATA: International Aministration Aministration (Electrical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances (Elines: Hazardous Materials Information System (Canada) (USA) Wil-MIS: Workplace Hazardous Materials Information System (Canada) (L50: Lethal concentration, 50 percent UPS) (Enhal concentration, 50 percent UPS) very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) (USA)

USA