

SAFETY DATA SHEET

Creation Date 22-Dec-2009 Revision Date 14-Feb-2020 Revision Number 2

1. Identification

Product Name Arsenic(III) oxide

Cat No. : 33289

CAS-No 1327-53-3 Synonyms Arsenic trioxide

Recommended Use Laboratory chemicals.

Uses advised against

Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Carcinogenicity

Specific target organ toxicity (single exposure)

Caregory 3

Category 3

Category 3

Target Organs - Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Kidney, Blood.

Label Elements

Signal Word

Danger

Hazard Statements

Fatal if swallowed

Causes severe skin burns and eye damage May cause respiratory irritation May cause cancer May cause damage to organs



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

Other hazards

May cause pulmonary edema.

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Arsenic trioxide	1327-53-3	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Revision Date 14-Feb-2020 Arsenic(III) oxide

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

> respiration. Do not use mouth-to-mouth method if victim indested or inhaled the substance: give artificial respiration with the aid of a pocket mask equipped with a one-way valve or

other proper respiratory medical device. Immediate medical attention is required.

Do NOT induce vomiting. Call a physician or poison control center immediately. Ingestion

Most important symptoms and

effects

Notes to Physician

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to

the delicate tissue and danger of perforation

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available No information available Method -

Autoignition Temperature

Explosion Limits

Upper

No data available No data available

No information available

Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

arsenic oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
4	0	0	N/A

6. Accidental release measures

Personal Precautions

Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid dust formation. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe dust. Avoid dust formation. Wash hands before breaks and immediately after handling the product.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Arsenic trioxide	TWA: 0.01 mg/m ³		IDLH: 5 mg/m ³	TWA: 0.01 mg/m ³
	_		Ceiling: 0.002 mg/m ³	-

Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceBeigeOdorOdorless

Odor Threshold

pH

No information available
No information available

Melting Point/Range 312.3 °C / 594.1 °F
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure66 mmHg @ 312 °C

Vapor Density Not applicable

Specific Gravity

Solubility

Partition coefficient; n-octanol/water

No information available Insoluble in water

No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity
Not applicable
Molecular Formula
O3 As2

Molecular Formula O3 As2 Molecular Weight 197.84

10. Stability and reactivity

Reactive Hazard None known, based on information available

Revision Date 14-Feb-2020 Arsenic(III) oxide

Stability Stable under normal conditions.

Incompatible products. Excess heat. Avoid dust formation. **Conditions to Avoid**

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products arsenic oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Arsenic trioxide	LD50 = 20 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Arsenic trioxide	1327-53-3	Group 1	Known	A1	X	A1

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects No information available

Reproductive Effects No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

Respiratory system Central nervous system (CNS) STOT - single exposure

Liver Kidney Blood STOT - repeated exposure

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following

substances which are hazardous for the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Arsenic trioxide	Not listed	LC50: > 1000 mg/L, 96h	EC50 = 31.43 mg/L 60 min	EC50 = 0.038 mg/L 24h
		static (Oncorhynchus	EC50 = 33.39 mg/L 30 min	EC50 = 0.96 mg/L 96h
		mykiss)	EC50 = 43.56 mg/L 15 min	EC50 = 0.038 mg/L 24h
		LC50: 18.8 - 21.4 mg/L, 96h	EC50 = 73.73 mg/L 5 min	
		flow-through (Oncorhynchus	_	
		mykiss)		
		LC50: = 135 mg/L, 96h		
		(Pimephales promelas)		

Persistence and Degradability

May persist based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Arsenic trioxide	18.1

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1561

Proper Shipping Name ARSENIC TRIOXIDE

Hazard Class 6.1 Packing Group II

TDG

UN-No UN1561

Proper Shipping Name ARSENIC TRIOXIDE

Hazard Class 6.1 Packing Group II

<u>IATA</u>

UN-No UN1561

Proper Shipping Name ARSENIC TRIOXIDE

Hazard Class 6.1
Packing Group

IMDG/IMO

UN-No UN1561

Proper Shipping Name ARSENIC TRIOXIDE

Hazard Class 6.1 Packing Group II

15. Regulatory information

United States of America Inventory

	Component	CAS-No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
				Active/Inactive	Flags
Ī	Arsenic trioxide	1327-53-3	X	ACTIVE	-

Leaend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Arsenic trioxide	1327-53-3	Х	-	215-481-4	X	X	X	X	KE-09858

U.S. Federal Regulations

SARA 313 Not applicable

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Arsenic trioxide	1327-53-3	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
Arsenic trioxide	X	1 lb	X	-	

Clean Air Act Not applicable

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Arsenic trioxide	Χ		-	

OSHA - Occupational Safety and

Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals	
Arsenic trioxide	10 μg/m³ TWA	-	
	5 µg/m³ Action Level		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Component	Hazardous Substances RQs	CERCLA EHS RQs	
-	Arsenic trioxide	1 lb	1 lb	

California Proposition 65 This product contains the following Proposition 65 chemicals.

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category	
Arsenic trioxide	1327-53-3	Carcinogen	0.06 μg/day	Developmental	
		Developmental	10 μg/day	Carcinogen	

U.S. State Right-to-Know

Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ī	Arsenic trioxide	X	X	Χ	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 22-Dec-2009

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 1327-53-3/2.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS