

SAFETY DATA SHEET

Version 6.5 Revision Date 09/15/2021 Print Date 09/25/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | [:] Sodium cyanide |
|-------------------------|-----------------------------|
| Product Number Brand | : 380970 : SIGALD |
| Index-No. | : 006-007-00-5 |
| CAS-No. | : 143-33-9 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

| Company | : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES |
|-----------|---|
| Telephone | : +1 314 771-5765 |
| Fax | : +1 800 325-5052 |

1.4 Emergency telephone

| Emergency Phone # | : 800-424-9300 CHEMTREC (USA) +1-703- |
|-------------------|---------------------------------------|
| | 527-3887 CHEMTREC (International) 24 |
| | Hours/day; 7 Days/week |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 1), H310 Specific target organ toxicity - repeated exposure (Category 1), Thyroid, H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

SIGALD - 380970

Page 1 of 11



| Pictogram | |
|--|---|
| Signal word | Danger |
| Hazard statement(s) H290 H300 + H310 + H330 H372 | May be corrosive to metals. Fatal if swallowed, in contact with skin or if inhaled. Causes damage to organs (Thyroid) through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) P234 P260 P262 P264 P270 P271 P273 P280 | Keep only in original container. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not get in eyes, on skin, or on clothing. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing. |
| P284 | Wear respiratory protection. |
| P301 + P310 + P330 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. |
| P302 + P350 + P310 | IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. |
| P314 P362 P390 P391 | Get medical advice/ attention if you feel unwell. Take off contaminated clothing and wash before reuse. Absorb spillage to prevent material damage. Collect spillage. |
| P403 + P233 P405 | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
| P406 | Store in corrosive resistant container with a resistant inner liner. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Contact with acids liberates very toxic gas.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Formula | : | CNNa |
|------------------|---|--------------|
| Molecular weight | : | 49.01 g/mol |
| CAS-No. | : | 143-33-9 |
| EC-No. | : | 205-599-4 |
| Index-No. | : | 006-007-00-5 |
| | | |

| Component | Classification | Concentration |
|----------------|-------------------------|----------------|
| sodium cyanide | | |
| | Met. Corr. 1; Acute To> | x. 1; <= 100 % |

SIGALD - 380970

Page 2 of 11



| STOT RE 1; Aquatic Acute 1; H290, H300, H330, H310, H372, H400 | |
|--|--|
| M-Factor - Aquatic Acute: | |
| 10 - Aquatic Chronic: 1 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

- **5.2** Special hazards arising from the substance or mixture Carbon oxides Sodium oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

SIGALD - 380970

Page 3 of 11



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Advice on safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Do not store near acids.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

SIGALD - 380970

Page 4 of 11



| Component | CAS-No. | Value | Control parameters | Basis |
|----------------|----------|--------------------------------|-----------------------|--|
| sodium cyanide | 143-33-9 | С | 4.7 ppm 5 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | Remarks | Skin desigr | nation | |
| | | С | 5 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | Danger of cutaneous absorption | | ption |
| | | TWA | 5 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | PEL | 5 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Skin | · | · · · · · · |

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our

SIGALD - 380970

Page 5 of 11



customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: crystalline Color: white |
|----|--|--|
| b) | Odor | odorless |
| c) | Odor Threshold | No data available |
| d) | рН | 11.0 - 12.0 at 49.0 g/l at 25 °C (77 °F) |
| e) | Melting point/freezing point | Melting point/range: 563.7 °C (1046.7 °F) - lit. |
| f) | Initial boiling point and boiling range | 1,500 °C 2,732 °F at 1.013 hPa |
| g) | Flash point | No data available |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapor pressure | 1 hPa at 817 °C (1503 °F) |
| I) | Vapor density | No data available |
| m) | Density | 1.59 kg/m3 at 20 °C (68 °F) |
| | Relative density | No data available |
| n) | Water solubility | 370 g/l at 20 °C (68 °F) - completely soluble |
| 0) | Partition coefficient: n-octanol/water | Not applicable for inorganic substances |
| p) | Autoignition temperature | No data available |

SIGALD - 380970

Page 6 of 11



- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Dissociation constant ca.9.36 at 20 °C (68 °F) - OECD Test Guideline 112

SECTION 10: Stability and reactivity

10.1 Reactivity Contact with acids liberates very toxic gas.

- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Do not store near acids., Strong oxidizing agents, Carbon dioxide (CO2)
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 5.09 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male - 1 h - 63 ppm (OECD Test Guideline 403) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: hydrogen cyanide LD50 Dermal - Rabbit - female - 7.35 mg/kg Remarks: (ECHA) LD50 Dermal - Rabbit - 10.4 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor. Lungs, Thorax, or Respiration:Dyspnea. No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

SIGALD - 380970

Page 7 of 11



Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: US-EPA Result: negative

Test Type: Chromosome aberration test Species: Rat

Application Route: Oral Method: US-EPA Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Thyroid

Aspiration hazard

11.2 Additional Information

RTECS: VZ7525000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Gasterosteus aculeatus - 0.0988 mg/l - 96 h Remarks: (referred to cyanide ions) (ECHA)

SIGALD - 380970

Page 8 of 11



| Toxicity to daphnia and other aquatic invertebrates | semi-static test EC50 - Chironomus riparius (harlequin fly) - 0.012 mg/l - 48 h (OECD Test Guideline 202) |
|---|---|
| | semi-static test NOEC - Chironomus riparius (harlequin fly) - 0.006 mg/l - 48 h (OECD Test Guideline 202) |
| Toxicity to algae | EC50 - Nitzschia closterium - 0.051 mg/l - 72 h |
| Toxicity to bacteria | EC50 - Bacteria - 4.9 mg/l - 6 h Remarks: (ECHA) |

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 42 d Result: ca.99 % - Inherently biodegradable. Remarks: (ECHA)

| Chemical Oxygen | 816 mg/g | |
|-----------------|-------------------|--|
| Demand (COD) | Remarks: (IUCLID) | |
| Ratio BOD/ThBOD | 6 % | |

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil**

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US) UN number: 1689 Class: 6.1

Packing group: I

SIGALD - 380970

Page 9 of 11



| | Proper shipping name: Sodium cyanide, so Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No | blid | |
|------|---|---|-----------------------------|
| | IMDG UN number: 1689 Class: 6.1 Proper shipping name: SODIUM CYANIDE, Marine pollutant : yes | Packing group: I SOLID | EMS-No: F-A, S-A |
| | IATA UN number: 1689 Class: 6.1 Proper shipping name: Sodium cyanide, so | Packing group: I blid | |
| SECI | TON 15: Regulatory information | | |
| | SARA 302 Components The following components are subject to re Section 302: sodium cyanide | eporting levels establishe CAS-No. 143-33-9 | Revision Date |
| | SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: | | |
| | sodium cyanide | CAS-No. 143-33-9 | |
| | SARA 311/312 Hazards Acute Health Hazard, Chronic Health Haza | rd | |
| | Massachusetts Right To Know Compor No components are subject to the Massach | | |
| | Pennsylvania Right To Know Compone sodium cyanide | ents CAS-No. 143-33-9 | Revision Date 1993-02-16 |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGALD - 380970

Page 10 of 11



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5

Revision Date: 09/15/2021

Print Date: 09/25/2021

SIGALD - 380970

Page 11 of 11

