

## SAFETY DATA SHEET

Creation Date 05-May-2009

Revision Date 17-Jan-2018

Revision Number 4

### 1. Identification

**Product Name** Acetic acid

**Cat No. :** A35-500; A38-212; A38-450LB; A38-500; A38-500LC; A38C-212; A38C-212EA; A38P-20; A38P-500; A38S-212; A38S-500; A38SI-212; A465-1; A465-250; A465-500; A490-212; A490-212LC; A491-212; BP1185-500; BP1185-500LC; BP2400-500; BP2401-212; BP2401-500; BP2401C-212; BP2401P-20; BP2401S-212; BP2401S-500; BP2401SI-212; S700481

**CAS-No** 64-19-7

**Synonyms** Glacial acetic acid; Methanecarboxylic acid; Ethanoic acid; Vinegar acid (HPLC/Certified ACS/OPTIMA/USP/FCC/EP/BP/Trace Metal Grade/Aldehyde-Free/Sequencing)

**Recommended Use** Laboratory chemicals.

**Uses advised against** Not for food, drug, pesticide or biocidal product use

#### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

#### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300  
CHEMTREC®, Outside the USA: 001-703-527-3887

### 2. Hazard(s) Identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |              |
|-----------------------------------|--------------|
| Flammable liquids                 | Category 3   |
| Skin Corrosion/Irritation         | Category 1 A |
| Serious Eye Damage/Eye Irritation | Category 1   |


#### Label Elements

#### **Signal Word**

Danger

#### **Hazard Statements**

Flammable liquid and vapor  
Causes severe skin burns and eye damage

**Precautionary Statements****Prevention**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Take precautionary measures against static discharge  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Wash face, hands and any exposed skin thoroughly after handling  
 Keep container tightly closed

**Response**

Immediately call a POISON CENTER or doctor/physician

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

**Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

### 3. Composition/Information on Ingredients

| Component   | CAS-No  | Weight % |
|-------------|---------|----------|
| Acetic acid | 64-19-7 | >95      |

### 4. First-aid measures

|                       |  |
|-----------------------|--|
| <b>General Advice</b> | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.  |
| <b>Eye Contact</b>    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.  |
| <b>Skin Contact</b>   | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.  |
| <b>Inhalation</b>     | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory |

|  |  |
|--|--|
|  | medical device. Call a physician immediately.  |
| <b>Ingestion</b>                           | Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.   |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>                  | Treat symptomatically  |

### 5. Fire-fighting measures

|   |   |
|---|---|
| <b>Suitable Extinguishing Media</b>     | CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. |
| <b>Unsuitable Extinguishing Media</b>   | No information available  |
| <b>Flash Point</b>                      | 40 °C / 104 °F  |
| <b>Method -</b>                         | No information available  |
| <b>Autoignition Temperature</b>         | 427 °C / 800.6 °F   |
| <b>Explosion Limits</b>                 |   |
| Upper                                   | 19.9 vol %  |
| Lower                                   | 4.0 vol %   |
| <b>Sensitivity to Mechanical Impact</b> | No information available  |
| <b>Sensitivity to Static Discharge</b>  | No information available  |

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) Thermal decomposition can lead to release of irritating gases and vapors

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### NFPA

|             |                   |                  |                         |
|-------------|-------------------|------------------|-------------------------|
| Health<br>3 | Flammability<br>2 | Instability<br>0 | Physical hazards<br>N/A |
|-------------|-------------------|------------------|-------------------------|

### 6. Accidental release measures

|   |   |
|---|---|
| <b>Personal Precautions</b>                 | Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| <b>Environmental Precautions</b>            | Should not be released into the environment.  |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.  |

### 7. Handling and storage

|                 |   |
|-----------------|---|
| <b>Handling</b> | Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest. |
| <b>Storage</b>  | Corrosives area. Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place.                                    |

### 8. Exposure controls / personal protection

#### Exposure Guidelines

| Component   | ACGIH TLV                   | OSHA PEL   | NIOSH IDLH   | Mexico OEL (TWA)   |
|-------------|-----------------------------|--|--|--|
| Acetic acid | TWA: 10 ppm<br>STEL: 15 ppm | (Vacated) TWA: 10 ppm<br>(Vacated) TWA: 25 mg/m <sup>3</sup><br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> | IDLH: 50 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 37 mg/m <sup>3</sup> | TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 37 mg/m <sup>3</sup> |

**Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment****Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. Face-shield.

**Skin and body protection**

Long sleeved clothing.

**Respiratory Protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|  |                                 |
|--|---------------------------------|
| Physical State                         | Liquid                          |
| Appearance                             | Colorless                       |
| Odor                                   | vinegar-like                    |
| Odor Threshold                         | No information available        |
| pH                                     | < 2.5 10 g/L aq.sol             |
| Melting Point/Range                    | 16 - 16.5 °C / 60.8 - 61.7 °F   |
| Boiling Point/Range                    | 117 - 118 °C / 242.6 - 244.4 °F |
| Flash Point                            | 40 °C / 104 °F                  |
| Evaporation Rate                       | 0.97 (Butyl Acetate = 1.0)      |
| Flammability (solid,gas)               | Not applicable                  |
| Flammability or explosive limits       |                                 |
| Upper                                  | 19.9 vol %                      |
| Lower                                  | 4.0 vol %                       |
| Vapor Pressure                         | 1.52 kPa @ 20 °C                |
| Vapor Density                          | 2.10                            |
| Specific Gravity                       | 1.048                           |
| Solubility                             | Soluble in water                |
| Partition coefficient; n-octanol/water | No data available               |
| Autoignition Temperature               | 427 °C / 800.6 °F               |
| Decomposition Temperature              | No information available        |
| Viscosity                              | 1.53 mPa.s @ 25 °C              |
| Molecular Formula                      | C2 H4 O2                        |
| Molecular Weight                       | 60.05                           |

## 10. Stability and reactivity

|                                  |   |
|----------------------------------|---|
| Reactive Hazard                  | None known, based on information available  |
| Stability                        | Stable under normal conditions.   |
| Conditions to Avoid              | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.                             |
| Incompatible Materials           | Strong oxidizing agents, Strong bases, Metals   |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Thermal decomposition can lead to release of irritating gases and vapors |
| Hazardous Polymerization         | Hazardous polymerization does not occur.  |
| Hazardous Reactions              | None under normal processing.   |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

#### Component Information

| Component   | LD50 Oral          | LD50 Dermal | LC50 Inhalation       |
|-------------|--------------------|-------------|-----------------------|
| Acetic acid | 3310 mg/kg ( Rat ) | -           | > 40 mg/L ( Rat ) 4 h |

Toxicologically Synergistic Products No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                 |  |
|-----------------|--|
| Irritation      | Causes severe burns by all exposure routes   |
| Sensitization   | No information available   |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component   | CAS-No  | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------|---------|------------|------------|------------|------------|------------|
| Acetic acid | 64-19-7 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Do not empty into drains.

| Component   | Freshwater Algae | Freshwater Fish  | Microtox  | Water Flea         |
|-------------|------------------|--|---|--------------------|
| Acetic acid | -                | Pimephales promelas: LC50<br>= 88 mg/L/96h<br>Lepomis macrochirus: LC50<br>= 75 mg/L/96h | Photobacterium<br>phosphoreum: EC50 = 8.8<br>mg/L/15 min<br>Photobacterium<br>phosphoreum: EC50 = 8.8<br>mg/L/25 min<br>Photobacterium<br>phosphoreum: EC50 = 8.8<br>mg/L/5 min | EC50 = 95 mg/L/24h |

**Persistence and Degradability** Miscible with water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

| Component   | log Pow |
|-------------|---------|
| Acetic acid | -0.2    |

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

#### DOT

UN-No UN2789  
Proper Shipping Name Acetic acid, glacial  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II

#### TDG

UN-No UN2789  
Proper Shipping Name ACETIC ACID, GLACIAL  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II

#### IATA

UN-No UN2789  
Proper Shipping Name ACETIC ACID, GLACIAL  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II

#### IMDG/IMO

UN-No UN2789  
Proper Shipping Name ACETIC ACID, GLACIAL  
Hazard Class 8  
Subsidiary Hazard Class 3  
Packing Group II

### 15. Regulatory information

All of the components in the product are on the following inventory lists: The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe China Canada TSCA Korea Japan X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (ECL) China (IECSC) Japan (ENCS) Philippines (PICCS) Philippines Complete Regulatory Information contained in following SDS's

#### International Inventories

| Component   | TSCA | DSL | NDSL | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Acetic acid | X    | X   | -    | 200-580-7 | -      |     | X     | X    | X    | X     | X    |

**Legend:**

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

**U.S. Federal Regulations**

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)**

| Component   | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Acetic acid | X                          | 5000 lb                     | -                      | -                         |

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration  
Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component   | Hazardous Substances RQs | CERCLA EHS RQs |
|-------------|--------------------------|----------------|
| Acetic acid | 5000 lb                  | -              |

California Proposition 65 This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

| Component   | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------|---------------|------------|--------------|----------|--------------|
| Acetic acid | X             | X          | X            | -        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

**Other International Regulations**

Mexico - Grade Moderate risk, Grade 2

---

**16. Other information**

|                         |   |
|-------------------------|---|
| <b>Prepared By</b>      | Regulatory Affairs<br>Thermo Fisher Scientific<br>Email: EMSDS.RA@thermofisher.com  |
| <b>Creation Date</b>    | 05-May-2009   |
| <b>Revision Date</b>    | 17-Jan-2018   |
| <b>Print Date</b>       | 17-Jan-2018   |
| <b>Revision Summary</b> | This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). |

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**



## SAFETY DATA SHEET

Creation Date 30-Jun-2009

Revision Date 25-Apr-2019

Revision Number 7

### 1. Identification

**Product Name** Nitric acid  
**Cat No. :** SA95  
**Synonyms** HNO<sub>3</sub> in water.  
**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use

#### Details of the supplier of the safety data sheet

##### Company

Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

##### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300  
CHEMTREC®, Outside the USA: 001-703-527-3887

### 2. Hazard(s) Identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|   |              |
|---|--------------|
| Corrosive to metals                         | Category 1   |
| Acute Inhalation Toxicity - Dusts and Mists | Category 4   |
| Skin Corrosion/Irritation                   | Category 1 B |
| Serious Eye Damage/Eye Irritation           | Category 1   |


#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

May be corrosive to metals  
Causes severe skin burns and eye damage  
Harmful if inhaled

**Precautionary Statements****Prevention**

Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Keep only in original container  
 Wear respiratory protection

**Response**

Immediately call a POISON CENTER or doctor/physician

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

**Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Spills**

Absorb spillage to prevent material damage

**Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed  
 Store in corrosive resistant polypropylene container with a resistant inliner  
 Store in a dry place

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Corrosive to the respiratory tract

### 3. Composition/Information on Ingredients

| Component   | CAS-No    | Weight % |
|-------------|-----------|----------|
| Water       | 7732-18-5 | 80-95    |
| Nitric acid | 7697-37-2 | 5-20     |

### 4. First-aid measures

**General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.

|  |  |
|--|--|
| <b>Inhalation</b>                          | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| <b>Ingestion</b>                           | Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.   |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated                                |
| <b>Notes to Physician</b>                  | Treat symptomatically  |

**5. Fire-fighting measures**

|   |   |
|---|---|
| <b>Suitable Extinguishing Media</b>     | Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. |
| <b>Unsuitable Extinguishing Media</b>   | No information available  |
| <b>Flash Point</b>                      | No information available  |
| <b>Method -</b>                         | No information available  |
| <b>Autoignition Temperature</b>         | No information available  |
| <b>Explosion Limits</b>                 |   |
| <b>Upper</b>                            | No data available   |
| <b>Lower</b>                            | No data available   |
| <b>Sensitivity to Mechanical Impact</b> | No information available  |
| <b>Sensitivity to Static Discharge</b>  | No information available  |

**Specific Hazards Arising from the Chemical**  
 Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

**Hazardous Combustion Products**  
 Nitrogen oxides (NOx)

**Protective Equipment and Precautions for Firefighters**  
 As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA**

|        |              |             |                  |
|--------|--------------|-------------|------------------|
| Health | Flammability | Instability | Physical hazards |
| 4      | 0            | 0           | OX               |

**6. Accidental release measures**

|   |   |
|---|---|
| <b>Personal Precautions</b>                 | Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| <b>Environmental Precautions</b>            | Should not be released into the environment.  |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.  |

**7. Handling and storage**

|                 |   |
|-----------------|---|
| <b>Handling</b> | Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest. |
| <b>Storage</b>  | Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store in metal containers.   |

**8. Exposure controls / personal protection**

Exposure Guidelines

| Component   | ACGIH TLV                 | OSHA PEL  | NIOSH IDLH  | Mexico OEL (TWA)          |
|-------------|---------------------------|---|---|---------------------------|
| Nitric acid | TWA: 2 ppm<br>STEL: 4 ppm | (Vacated) TWA: 2 ppm<br>(Vacated) TWA: 5 mg/m <sup>3</sup><br>(Vacated) STEL: 4 ppm<br>(Vacated) STEL: 10 mg/m <sup>3</sup><br>TWA: 2 ppm<br>TWA: 5 mg/m <sup>3</sup> | IDLH: 25 ppm<br>TWA: 2 ppm<br>TWA: 5 mg/m <sup>3</sup><br>STEL: 4 ppm<br>STEL: 10 mg/m <sup>3</sup> | TWA: 2 ppm<br>STEL: 4 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

**Eyeface Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection**

Long sleeved clothing.

**Respiratory Protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**9. Physical and chemical properties**

|  |                          |
|--|--------------------------|
| Physical State                         | Liquid                   |
| Appearance                             | Clear                    |
| Odor                                   | Odorless                 |
| Odor Threshold                         | No information available |
| pH                                     | < 1                      |
| Melting Point/Range                    | No data available        |
| Boiling Point/Range                    | 100 °C / 212 °F          |
| Flash Point                            | No information available |
| Evaporation Rate                       | No information available |
| Flammability (solid,gas)               | Not applicable           |
| Flammability or explosive limits       |                          |
| Upper                                  | No data available        |
| Lower                                  | No data available        |
| Vapor Pressure                         | No information available |
| Vapor Density                          | No information available |
| Specific Gravity                       | 1.03-1.12                |
| Solubility                             | miscible                 |
| Partition coefficient; n-octanol/water | No data available        |
| Autoignition Temperature               | No information available |
| Decomposition Temperature              | No information available |
| Viscosity                              | No information available |

**10. Stability and reactivity**

|                                  |  |
|----------------------------------|--|
| Reactive Hazard                  | Yes  |
| Stability                        | Stable under normal conditions.  |
| Conditions to Avoid              | Incompatible products. Excess heat.  |
| Incompatible Materials           | Strong bases, Reducing agents, Aldehydes, Alcohols, Cyanides, Metals, Powdered metals, Ammonia |
| Hazardous Decomposition Products | Nitrogen oxides (NOx)  |
| Hazardous Polymerization         | Hazardous polymerization does not occur.   |
| Hazardous Reactions              | None under normal processing.  |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50

Category 4. ATE > 5 mg/l.

#### Component Information

| Component   | LD50 Oral  | LD50 Dermal | LC50 Inhalation           |
|-------------|------------|-------------|---------------------------|
| Water       | -          | Not listed  | Not listed                |
| Nitric acid | Not listed | Not listed  | LC50 = 2500 ppm. (Rat) 1h |

Toxicologically Synergistic Products No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component   | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------|-----------|------------|------------|------------|------------|------------|
| Water       | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Nitric acid | 7697-37-2 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

**12. Ecological information**

**Ecotoxicity**

Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Large amounts will affect pH and harm aquatic organisms.

| Component   | Freshwater Algae | Freshwater Fish                            | Microtox   | Water Flea |
|-------------|------------------|--|------------|------------|
| Nitric acid | Not listed       | LC50: = 72 mg/L, 96h<br>(Gambusia affinis) | Not listed | Not listed |

**Persistence and Degradability** Persistence is unlikely based on information available. Miscible with water

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

| Component   | log Pow |
|-------------|---------|
| Nitric acid | -2.3    |

**13. Disposal considerations**

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**14. Transport information**

**DOT**

UN-No UN2031  
 Proper Shipping Name NITRIC ACID  
 Hazard Class 8  
 Packing Group II

**TDG**

UN-No UN2031  
 Proper Shipping Name NITRIC ACID  
 Hazard Class 8  
 Packing Group II

**IATA**

UN-No UN2031  
 Proper Shipping Name NITRIC ACID  
 Hazard Class 8  
 Packing Group II

**IMDG/IMO**

UN-No UN2031  
 Proper Shipping Name NITRIC ACID  
 Hazard Class 8  
 Packing Group II

**15. Regulatory information**

**United States of America Inventory**

| Component   | CAS-No    | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|-------------|-----------|------|---|-----------------------------|
| Water       | 7732-18-5 | X    | ACTIVE  | -                           |
| Nitric acid | 7697-37-2 | X    | ACTIVE  | -                           |

**Legend:**

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

**International Inventories**

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component   | CAS-No    | DSL | NDSL | EINECS    | PICCS | ENCS | AICS | IECSC | KECL     |
|-------------|-----------|-----|------|-----------|-------|------|------|-------|----------|
| Water       | 7732-18-5 | X   | -    | 231-791-2 | X     | -    | X    | X     | KE-35400 |
| Nitric acid | 7697-37-2 | X   | -    | 231-714-2 | X     | X    | X    | X     | KE-25911 |

**U.S. Federal Regulations**

**SARA 313**

| Component   | CAS-No    | Weight % | SARA 313 - Threshold Values % |
|-------------|-----------|----------|-------------------------------|
| Nitric acid | 7697-37-2 | 5-20     | 1.0                           |

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)**

| Component   | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Nitric acid | X                          | 1000 lb                     | -                      | -                         |

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration

| Component   | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|-------------|----------------------------------|----------------------------|
| Nitric acid | -                                | TQ: 500 lb                 |

**CERCLA** This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component   | Hazardous Substances RQs | CERCLA EHS RQs |
|-------------|--------------------------|----------------|
| Nitric acid | 1000 lb                  | 1000 lb        |

California Proposition 65 This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

| Component   | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------|---------------|------------|--------------|----------|--------------|
| Water       | -             | -          | X            | -        | -            |
| Nitric acid | X             | X          | X            | X        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y  
 DOT Marine Pollutant N  
 DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product contains the following DHS chemicals:  
 Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component   | DHS Chemical Facility Anti-Terrorism Standard |
|-------------|---|
| Nitric acid | Release STQs - 15000lb<br>Theft STQs - 400lb  |

**Other International Regulations**

Mexico - Grade No information available

---

**16. Other Information**

|                  |  |
|------------------|--|
| Prepared By      | Regulatory Affairs<br>Thermo Fisher Scientific<br>Email: EMSDS.RA@thermofisher.com |
| Creation Date    | 30-Jun-2009  |
| Revision Date    | 25-Apr-2019  |
| Print Date       | 25-Apr-2019  |
| Revision Summary | SDS sections updated. 2. 11.   |

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**