

SAFETY DATA SHEET

Creation Date 19-Jan-2010

Revision Date 07-Mar-2018

Revision Number 1

1. Identification **Product Name** Zinc oxide 12855 Cat No. : CAS-No 1314-13-2 Synonyms Chinese white; Zinc white; C.I. Pigment White 4 **Recommended Use** Laboratory chemicals. Uses advised against Not for food, drug, pesticide or biocidal product use Details of the supplier of the safety data sheet **Company** Alfa Aesar

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Zinc oxide	1314-13-2	>95

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting. Get medical attention if symptoms occur.
Most important symptoms and	No information available.
effects Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

None under normal use conditions

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 1	Flammability 0	Instability 0	Physical hazards N/A				
	6. Accidental rel	ease measures					
Personal Precautions	Use personal protective eq Avoid contact with skin, eye		ntilation. Avoid dust formation.				
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.						
Methods for Containment and C	Clean Sweep up or vacuum up sp	illage and collect in suitable c	ontainer for disposal. Avoid dust				

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. Avoid dust formation.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Zinc oxide	TWA: 2 mg/m ³ STEL: 10 mg/m ³	(Vacated) TWA: 5 mg/m ³ (Vacated) TWA: 10 mg/m ³ (Vacated) STEL: 10 mg/m ³ TWA: 5 mg/m ³ TWA: 15 mg/m ³	IDLH: 500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ Ceiling: 15 mg/m ³	TWA: 5 mg/m ³ TWA: 10 mg/m ³ STEL: 10 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties	(9. Physic	cal and	chemical	properties	
-------------------------------------	---	-----------	---------	----------	------------	--

7.11193100	in and chemical properties
Physical State	Powder Solid
Appearance	Off-white
Odor	Odorless
Odor Threshold	No information available
рН	7 50 g/l aq.sol.(susp)
Melting Point/Range	1975 °C / 3587 °F
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	5.600
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	O Zn
Molecular Weight	81.38

10. Stability and reactivity										
Reactive Hazard			None known, base	d on info	ormation a	vailable				
Stability Stable under normal conditions.										
Conditions to Avoid	d		Avoid dust formation. Incompatible products.							
Incompatible Mater	ials		Strong acids							
Hazardous Decomp	osition Proc	ducts	None under norma	al use co	onditions					
Hazardous Polymer	rization		Hazardous polyme	erization	does not o	occur.				
Hazardous Reaction	ns		None under norma	al proces	sing.					
			11. Toxico	ologio	cal info	ormation				
Acute Toxicity										
Product Information No acute toxicity information is available for this product Component Information										
Componer Zinc oxide		LD	LD50 Oral 050 > 5000 mg/kg (F	Rat)		LD50 Dermal Not listed		Inhalation ot listed		
Toxicologically Synergistic No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure										
Irritation	Irritation No information available									
Sensitization			No information ava	ailable						
Carcinogenicity			The table below in	dicates	whether ea	ach agency has list	ed any ingredient	as a carcinogen.		
Component Zinc oxide	CAS-No 1314-13-		IARC Not listed		ITP listed	ACGIH Not listed	OSHA Not listed	Mexico Not listed		
Mutagenic Effects	1014-10-					experimental anima		Not listed		
Reproductive Effec	ts		No information available.							
Developmental Effe	ects		No information available.							
Teratogenicity			No information available.							
STOT - single exposureNone knownSTOT - repeated exposureNone known										
Aspiration hazard	No information available									
Symptoms / effects,both acute and No information available delayed										
Endocrine Disrupto	or Informatio	n	No information ava	ailable						
Other Adverse Effe	cts		The toxicological p complete information		s have not	been fully investig	ated. See actual e	ntry in RTECS for		
			10 Each		1.1.0					

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation	No information available.
Mobility	Will likely be mobile in the environment due to its water solubility.
	13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information DOT UN3077 **UN-No Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper technical name (ZINC OXIDE) **Hazard Class** 9 Ш **Packing Group** TDG **UN-No** UN3077 **Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. **Hazard Class** Ш **Packing Group** ΙΑΤΑ UN3077 UN-No ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.* **Proper Shipping Name Hazard Class** 9 **Packing Group** ш IMDG/IMO UN3077 **UN-No Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. **Hazard Class** 9 **Packing Group** ш

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Zinc oxide	Х	Х	-	215-222-5	-		Х	Х	Х	Х	Х
La manual											

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc oxide	1314-13-2	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Zinc oxide	-	-	Х	-

Clean Air Act

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Zinc oxide	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

	16. Other information	
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com	
Creation Date	19-Jan-2010	
evision Date 07-Mar-2018		
Print Date 07-Mar-2018		
Revision Summary	evision Summary SDS authoring systems update, replaces ChemGes SDS No. 1314-13-2/2.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS