



Material Safety Data Sheet

	PRODUCT NAME Liquid Nitrogen	
	TELEPHONE (415) 977-6500 EMERGENCY RESPONSE INFORMATION ON PAGE 2	
LIQUID AIR CORPORATION INDUSTRIAL GASES DIVISION One California Plaza, Suite 350 2121 N. California Blvd. Walnut Creek, California 94596	TRADE NAME AND SYNONYMS Please see last page.	CAS NUMBER 7727-37-9
	CHEMICAL NAME AND SYNONYMS Liquid Nitrogen	
ISSUE DATE OCTOBER 1, 1985 AND REVISIONS CORPORATE SAFETY DEPT.	FORMULA Liquefied N ₂	MOLECULAR WEIGHT 28.013
		CHEMICAL FAMILY Inert

HEALTH HAZARD DATA (SEE NOTE ON LAST PAGE)

<p>TIME WEIGHTED AVERAGE EXPOSURE LIMIT Nitrogen is defined as a simple asphyxiant. Oxygen levels should be maintained at greater than 18 molar percent at normal atmospheric pressure which is equivalent to a partial pressure of 135 mm Hg (ACGIH, 1984-85).</p>		
<p>SYMPTOMS OF EXPOSURE * Effects of exposure to high concentrations so as to displace the oxygen in air necessary for life may include <u>any</u>, <u>all</u> or <u>none</u> of the following:</p> <ul style="list-style-type: none"> o Loss of balance or dizziness; o Tightness in the frontal area of the forehead; o Tingling of the tongue, fingertips or toes; <p style="text-align: right;">(Continued on last page.)</p>		
<p>TOXICOLOGICAL PROPERTIES Nitrogen is nontoxic but the liberation of a large amount in a confined area could displace the amount of oxygen in air necessary to support life. Frostbite effects are a change in color of the skin to gray or white possibly followed by blistering.</p> <p>Listed as Carcinogen or Potential Carcinogen National Toxicology Program Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> I.A.R.C. Monographs Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> OSHA Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>		
<p>RECOMMENDED FIRST AID TREATMENT PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF OVEREXPOSURE TO NITROGEN. RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS.</p> <p>Inhalation: Conscious persons should be assisted to an uncontaminated area and inhale fresh air. Quick removal from the contaminated area is most important. Unconscious persons should be moved to an uncontaminated area, given mouth-to-mouth resuscitation and supplemental oxygen. Medical assistance should be sought immediately.</p> <p>For dermal contact or frostbite, flush affected areas with lukewarm water. DO NOT USE HOT WATER. A physician should see the patient promptly if the cryogenic "burn" has resulted in blistering of the dermal surface or deep tissue freezing.</p>		

Judgements as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Liquid Air Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or consequences of its use. Since Liquid Air Corporation has no control over the use of this product, it assumes no liability for damage or loss of product resulting from proper (or improper) use or application of the product. Data Sheets may be changed from time to time. Be sure to consult the latest edition.

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES

None

PHYSICAL DATA

BOILING POINT -320.445°F (-195.803°C)	LIQUID DENSITY AT BOILING POINT 50.48 lb/ft ³ (808.607 kg/m ³)
VAPOR PRESSURE @ 70°F (21.1°C) above the critical temp. of -232.51°F (-146.95°C)	GAS DENSITY AT 70°F 1 atm .07245 lb/ft ³ (1.1605 kg/m ³)
SOLUBILITY IN WATER @ 68°F (20°C) Bunsen coefficient = .01557	FREEZING POINT -346.004°F (-210.002°C)
APPEARANCE AND ODOR Clear, colorless, odorless liquid	

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED) N/A	AUTO IGNITION TEMPERATURE N/A	FLAMMABLE LIMITS % BY VOLUME N/A
EXTINGUISHING MEDIA Nonflammable, inert		ELECTRICAL CLASSIFICATION Nonhazardous
SPECIAL FIRE FIGHTING PROCEDURES N/A		
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A		

REACTIVITY DATA

STABILITY Unstable		CONDITIONS TO AVOID
Stable	X	
INCOMPATIBILITY (Materials to avoid) None		
HAZARDOUS DECOMPOSITION PRODUCTS None		
HAZARDOUS POLYMERIZATION May Occur		CONDITIONS TO AVOID
Will Not Occur	X	

SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

See note on last page.

WASTE DISPOSAL METHOD

See note on last page.

EMERGENCY RESPONSE INFORMATION
IN CASE OF EMERGENCY INVOLVING THIS MATERIAL, CALL DAY OR NIGHT (800) 231-1366
OR CALL CHEMTREC AT (800) 424-9300