

SAFETY DATA SHEET

Revision Date 23-Jan-2018

Revision Number 3

1. Identification Product Name 4-Chlorobutyronitrile Cat No. : AC108870000; AC108871000 CAS-No 628-20-6 Synonyms 4-Chlorobutanenitrile; Butanenitrile, 4-chloro-; Butyronitrile, 4-chloro Recommended Use Laboratory chemicals. Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 4
Acute oral toxicity	Category 3
Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	0,1

Label Elements

Signal Word Danger

Hazard Statements

Combustible liquid Toxic if swallowed Causes skin irritation Causes serious eye irritation May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/sprav

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS-No	Weight %	
Butanenitrile, 4-chl	oro-	628-20-6	97	
	4.	First-aid measures		
Eye Contact	Rinse immed	iately with plenty of water, also under	r the eyelids, for at least 15 minutes.	
Skin Contact		Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.		
Inhalation	Remove from exposure, lie down. Move to fresh air. If not breathing, give artificial respiration. Obtain medical attention.			
Ingestion	Call a physician immediately. Clean mouth with water.			

Most important symptoms and effects Notes to Physician	Breathing difficulties. Symp nausea and vomiting Treat symptomatically	toms of overexposure may b	be headache, dizziness, tiredness,
	5. Fire-fightir	g measures	
Suitable Extinguishing Media	Water spray. Carbon dioxid containers exposed to fire v		nol-resistant foam. Cool closed
Unsuitable Extinguishing Media	No information available		
Flash Point	85 °C / 185 °F		
Method -	No information available		
Autoignition Temperature Explosion Limits	No information available		
Upper Lower	No data available		
Sensitivity to Mechanical Impact	No data available		
Sensitivity to Static Discharge	No information available		
Specific Hazards Arising from the C Combustible material. Flammable. Cor		eated.	
Protective Equipment and Precautio	ns for Firefighters		oved or equivalent) and full
Hydrogen chloride gas Nitrogen oxides Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. <u>NFPA</u> <u>Health</u> 3	ns for Firefighters		oved or equivalent) and full Physical hazards N/A
Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. <u>NFPA</u> Health	ns for Firefighters thing apparatus pressure-de Flammability 1 6. Accidental rel	Instability 0 ease measures	Physical hazards N/A
Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. NFPA Health 3 Personal Precautions	ns for Firefighters thing apparatus pressure-de Flammability 1 6. Accidental rel	Instability 0 ease measures on. Take precautionary mea	Physical hazards
Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. NFPA	ns for Firefighters Ithing apparatus pressure-de Flammability 1 6. Accidental rel Remove all sources of ignit See Section 12 for addition Soak up with inert absorber	Instability 0 ease measures on. Take precautionary mea al ecological information.	Physical hazards N/A sures against static discharges.
Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. <u>NFPA</u> Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clean Up	ris for Firefighters Ithing apparatus pressure-de Flammability 1 6. Accidental rel Remove all sources of ignit See Section 12 for addition Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a	Instability 0 ease measures on. Take precautionary mea al ecological information. It material (e.g. sand, silica g closed containers for dispos	Physical hazards N/A sures against static discharges. gel, acid binder, universal binder, al. Remove all sources of ignition.
Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. NFPA	rs for Firefighters Ithing apparatus pressure-de Flammability 1 6. Accidental rel Remove all sources of ignit See Section 12 for addition Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a Do not breathe vapors or s	Instability 0 ease measures on. Take precautionary mea al ecological information. It material (e.g. sand, silica g closed containers for dispos and storage oray mist. Do not get in eyes ate exhaust ventilation. Keep	Physical hazards N/A sures against static discharges. gel, acid binder, universal binder, al. Remove all sources of ignition.
Protective Equipment and Precautio As in any fire, wear self-contained breat protective gear. NFPA Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clean Up Handling	Flammability 1 6. Accidental rel Remove all sources of ignit See Section 12 for addition Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a Do not breathe vapors or sp area provided with appropri surfaces and sources of ignit Keep in a dry, cool and wel	Instability 0 ease measures on. Take precautionary mea al ecological information. It material (e.g. sand, silica g closed containers for dispos and storage oray mist. Do not get in eyes ate exhaust ventilation. Keep ition.	Physical hazards N/A sures against static discharges. gel, acid binder, universal binder, al. Remove all sources of ignition.
Protective Equipment and Precautio As in any fire, wear self-contained breat protective gear. NFPA	Flammability 1 6. Accidental rel Remove all sources of ignit See Section 12 for addition Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a Do not breathe vapors or si area provided with appropri surfaces and sources of igr Keep in a dry, cool and wel from heat and sources of ig well-ventilated place.	Instability 0 ease measures on. Take precautionary mea al ecological information. It material (e.g. sand, silica g closed containers for dispos and storage oray mist. Do not get in eyes ate exhaust ventilation. Keep ition.	Physical hazards N/A sures against static discharges. gel, acid binder, universal binder, al. Remove all sources of ignition.
Protective Equipment and Precautio As in any fire, wear self-contained breat protective gear. NFPA	Flammability 1 6. Accidental rel Remove all sources of ignit See Section 12 for addition Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a Do not breathe vapors or sy area provided with appropri- surfaces and sources of ignit Keep in a dry, cool and wel from heat and sources of ignit well-ventilated place.	Instability 0 Case measures on. Take precautionary mea al ecological information. It material (e.g. sand, silica g closed containers for dispos and storage oray mist. Do not get in eyes, ate exhaust ventilation. Keep ition. -ventilated place. Keep cont nition. Keep containers tight	Physical hazards N/A sures against static discharges. gel, acid binder, universal binder, al. Remove all sources of ignition. , on skin, or on clothing. Use only in o away from open flames, hot ainer tightly closed. Keep away y closed in a dry, cool and ion with occupational exposure

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical a	nd chemical properties
Physical State	Liquid
Appearance	Light yellow
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	195 - 197 °C / 383 - 386.6 °F @ 760 mmHg
Flash Point	85 °C / 185 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	3.57
Specific Gravity	1.080
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C4 H6 CI N
Molecular Weight	103.55

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents
Hazardous Decomposition Produc	ts Hydrogen chloride gas, Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)
Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

Acute Toxicity

Product Information Component Informa Toxicologically Syn Products Delayed and immed	ation ergistic	No information ava		d long-term expo			
Irritation		vell as chronic effects from short and long-term exposure					
Sensitization		No information ava					
Carcinogenicity		The table below in	dicates whether e	ach agency has lis	ted any ingredient	as a carcinogen.	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Butanenitrile, 4-chloro-	628-20-6	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effect	ts	No information ava	ailable.				
Developmental Effe	ects	No information ava	ailable.				
Teratogenicity		No information ava	ailable.				
STOT - single exposision STOT - repeated ex		Respiratory syster None known	n				
Aspiration hazard		No information ava	ailable				
Symptoms / effects delayed	s,both acute and	nd Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting				ea and vomiting	
Endocrine Disrupto	or Information No information available						
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.					
12. Ecological information							
Ecotoxicity Do not empty into dra	ains.						
Persistence and Degradability Soluble in water Persistence is unlikely based on information available.							
Bioaccumulation/ A	n/ Accumulation No information available.						
Mobility		Will likely be mobile in the environment due to its water solubility.					
	13. Disposal considerations						
Waste Disposal Met	thods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.					
		14. Trar	sport infor	mation			
DOT		Not regulated					
<u>TDG</u> IATA		Not regulated					
UN-No		3276					
Proper Shipping	g Name	NITRILES, TOXIC, LIQUID, N.O.S.*					
Hazard Class							
Packing Group		III					
IMDG/IMO							

UN-No	3276
Proper Shipping Name	NITRILES, TOXIC, LIQUID, N.O.S.
Hazard Class	6.1
Packing Group	III
	15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Butanenitrile, 4-chloro-	Х	-	Х	211-031-6	-		Х	Х	-	-	-

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated

polymer made with any free-radical initiator regardless of the amount used. P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA Occupational Safety and Health Not applicable	h Administration
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation	
Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Secu This product does not contain any DH	
Other International Regulations	

Mexico - Grade

No information available

16. Other information			
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Revision Date Print Date Revision Summary	23-Jan-2018 23-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS